



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Technically
Speaking

CEDARLANE® 
www.cedarlanelabs.com

Conveniently Delivering You Today's Innovations
for the Science of Tomorrow™

Mouse Anti-Human Melanoma Monoclonal Antibody

CLSG36781
CLSG36781-05
Lot: S111

Immunogen: BALB/C mice were injected with extract of pigmented melanoma metastases from lymph nodes.

Clone: HMB45

Isotype: IgG1, Kappa

Format: 1 ml (**CLSG36781**) or 0.5 ml (**CLSG36781-05**). This antibody is supplied as tissue culture supernatant containing sodium azide as a preservative.

Titer/Working Dilution: This antibody may be diluted to a titer of 1:25-1:50 using our PolyVue Detection System. The final dilution should be determined by the user based upon the staining conditions employed.

Staining Protocol: We suggest an incubation period of thirty minutes at room temperature. Optimal incubation conditions should be determined by the user based upon the fixation conditions and staining system employed. Formalin fixed paraffin embedded tissue sections require high temperature antigen unmasking with 10 mM citrate buffer, pH 6.0 prior to immunostaining.

Specificity: This antibody reacts with the neuraminidase sensitive oligosaccharide side chain of a glycoconjugate present in immature melanosomes. It reacts with junctional and blue nevus cells. Non-melanocytic cells are negative.

Positive Control: Melanoma

Cellular Localization: Cytoplasm

Continued...

Visit our website for your local distributor.

CEDARLANE® 

www.cedarlanelabs.com

An ISO 9001:2000 and ISO 13485:2003
registered company.

In CANADA: Toll Free: 1-800-268-5058

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020
e-mail: general@cedarlanelabs.com

In the USA: Toll Free: 1-800-721-1644

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138
e-mail: service@cedarlanelabs.com

Storage:

Store the antibody at 2-8°C. Do not use it beyond the expiration date stated on the label.

References:

- i) Gown et al. Am J Pathol 123: 195, 1986.
- ii) Kapur et al. J Histochem Cytochem 40: 207, 1992.
- iii) Leong et al. Surg Pathol 2: 137, 1989.

Laboratory Reagent For Research Use Only

BA 01/30/12