



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.

Please contact CEDARLANE® for lot specific information.

Purified Mouse Anti-Chicken Tubulin-alpha Monoclonal Antibody

CLSG36870
CLSG36870-05
Lot: G905

Immunogen:	BALB/c mice were immunized with native chick brain microtubules.
Clone:	DM1A
Isotype:	IgG1, kappa
Size:	1ml (CLSG36870) or 0.5 ml (CLSG36870-05)
Format:	This antibody is supplied as purified immunoglobulin fraction containing sodium azide as preservative.
Titer/Working Dilution:	This antibody may be diluted to a titer of 1:50-1:100 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.
Staining Protocol:	We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user. <u>Suitable for formalin/paraffin tissues.</u>
Specificity:	This antibody is specific to a 57 kDa protein identified as tubulin-alpha. This antibody does not cross react with tubulin-beta. Its epitope maps between amino acids 426-450.
Positive Control:	Lung
Cellular localization:	Cytoplasmic
Other applications:	Immunoprecipitation, Western Blotting

Continued Overleaf...

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information
website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com

Storage:

Store the antibody at 4-8°C. Do not use it beyond the expiration date stated on the label.

References:

- i) Berry et al. Biochem Biophys Acta 1012: 45, 1989.
- ii) Blose et al. J Cell Biol 98: 847, 1984.
- iii) Roychowdhury et al. Biochemistry 32: 4955, 1993.

Laboratory Reagent For Research Use Only