



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.

Please contact CEDARLANE® for lot specific information.

Purified Rabbit Anti-Human Fibronectin Polyclonal Antibody

CLSG36932

CLSG36932-05

Lot:

Immunogen:

Fibronectin isolated from a pool of normal human plasma.

Host:

Rabbit

Format:

1 ml (CLSG36932) or 0.5 ml (CLSG36932-05). Purified immunoglobulin fraction of rabbit antiserum against human fibronectin, containing sodium azide as preservative.

Titer/Working Dilution:

This antibody may be diluted to a titer of 1:50-1:250 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.

Staining Protocol:

We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation conditions should be determined by the user. Suitable for formalin/paraffin tissues.

Specificity:

This antibody reacts with human fibronectin in liver, tonsil, skin and kidney. Traces of contaminating antibodies have been removed by solid-phase absorption. Only the fibronectin arch was observed in crossed immunoelectrophoresis.

Positive Control:

Kidney

Cellular Localization:

Basement membrane, connective tissue

Storage:

Store the antibody at 2-8°C. Do not use beyond the expiration date on the label.

References:

- i) D'Ardenne et al. J Clin Pathol 39: 138, 1986.
- ii) Kirkpatrick et al. J Clin Pathol 37: 639, 1984.
- iii) Kumar et al. J Clin Pathol 39: 51, 1986.

Laboratory Reagent For Research Use Only

JV 12/27/07

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information
website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com