



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



Technically
Speaking

CEDARLANE®
www.cedarlanelabs.com



Conveniently Delivering You Today's Innovations
for the Science of Tomorrow™

Rabbit Anti-Human Flt-1 Polyclonal Antibody

CLSG36934
CLSG36934-05
Lot:

- Immunogen:** A synthetic peptide derived from the C-terminus of the Flt-1 precursor of human origin.
- Clone:** Polyclonal
- Isotype:** Rabbit IgG
- Format:** 1 ml (CLSG36934), or 0.5 ml (CLSG36934-05). Purified immunoglobulin fraction of rabbit antiserum against human Flt-1 containing sodium azide as a preservative.
- Titer/Working Dilution:** This antibody may be diluted to a titer of 1:50-1:100 in an ABC method. The final dilution should be determined by the user based upon the staining conditions employed.
- Staining Protocol:** We suggest an incubation period of 30 minutes at room temperature. Optimal incubation conditions should be determined by the user based upon the fixation conditions and staining system employed. Formalin fixed paraffin embedded tissue sections require high temperature antigen unmasking with 10 mM citrate buffer, pH 6.0 prior to immunostaining.
- Specificity:** This antibody reacts with a 180 kD protein, known as Flt-1/Vascular endothelial growth factor receptor 1. Flt-1 is a cell membrane receptor kinase. Flk-1 has a high affinity receptor for vascular endothelial growth factor and is putatively involved in the growth of endothelial cells and angiogenesis. This antibody cross reacts with mouse and rat.
- Positive Control:** Angiosarcoma
- Cellular Localization:** Cytoplasmic
- Storage:** Store at 2-8°C. Do not use beyond the expiration date stated on the label.
- References:**
- i) Ahmed et al. Growth Factors 12: 235, 1995.
 - ii) Ankam-Sey et al. Oncogene 17: 115, 1998.
 - iii) Shibuya et al. Oncogene 5: 519, 1990.

Laboratory Reagent For Research Use Only

JK 06/17/14

Visit our website for your local distributor.

CEDARLANE®



www.cedarlanelabs.com

An ISO 9001:2000 and ISO 13485:2003
registered company.

In CANADA: Toll Free: 1-800-268-5058

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020
e-mail: general@cedarlanelabs.com

In the USA: Toll Free: 1-800-721-1644

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138
e-mail: service@cedarlanelabs.com