



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.

Please contact CEDARLANE® for lot specific information.

Purified Rabbit Anti-Human TIMP-3 Polyclonal Antibody

CLSG36995

Lot:

Immunogen:

A synthetic peptide derived from the C-terminus region of the human TIMP-3.

Host:

Rabbit

Format:

1 mL of purified immunoglobulin fraction of rabbit antiserum against human TIMP-3 containing sodium azide as preservative.

Titer/Working Dilution:

This antibody may be diluted to a titer of 1:25 -1:50 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.

Staining Protocol:

We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation conditions should be determined by the user. Formalin fixed paraffin embedded tissue sections require high temperature antigen unmasking with 10 mM citrate buffer, pH 6.0 prior to immunostaining.

Specificity:

This antibody reacts with a 23kD protein, known as TIMP-3. TIMPs form tight inhibitory complexes with MMPs, which are involved, in matrix degradation and in tumor invasiveness and metastasis. TIMPs inhibit the proteolytic invasiveness of tumor cells and normal placental trophoblast cells. This antibody cross reacts with rabbit and baboon. It does not cross react with rat.

Positive Control:

Breast carcinoma

Cellular Localization:

Cytoplasmic

Storage:

Store the antibody at 4-8°C. Do not use it beyond the expiration date stated on the label.

References:

- i) Silbiger et al. Gene 141: 293, 1994.
- ii) Uria et al. Cancer Res 54: 2091, 1994.
- iii) Wick et al. J Biol Chem 269: 18953, 1994.

For Research Use Only. Not for Diagnostic or Therapeutic Work.

JV 05/09/06

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information
website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com