



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Technically  
Speaking

**CEDARLANE**<sup>®</sup>  
[www.cedarlanelabs.com](http://www.cedarlanelabs.com)



Delivering You Today's Innovations for  
the Science of Tomorrow™

## Mouse Anti-Pan Muscle Actin Monoclonal Antibody

**CLSG80217**  
**CLSG80217-05**  
**Lot:**

**Immunogen:** BALB/C mice were injected with N-terminal decapeptide of alpha-smooth muscle actin for 1A4 and with purified rabbit striated muscle actin for 5C5.

**Clone:** 1A4 & 5C5

**Isotype:** IgG2a, kappa & IgM

**Format:** 1 ml (**CLSG80217**) or 0.5 ml (**CLSG80217-05**). This antibody is supplied as diluted ascites containing sodium azide as a preservative.

**Titer/Working Dilution:** This antibody may be diluted to a titer of 1:25-1:50 in an ABC method. The final dilution should be determined by the user based upon the staining conditions employed.

**Staining Protocol:** We suggest an incubation period of 30 minutes at room temperature. Optimal incubation conditions should be determined by the user based upon the fixation conditions and staining system employed. Suitable for formalin fixed, paraffin embedded tissue sections.

**Specificity:** This pan actin is useful in identifying tumors arising from muscle cells, i.e. leiomyosarcoma and rhabdomyosarcoma. It cross-reacts with human, sheep, bovine, rabbit, guinea pig, rat, frog, snake, and carp.

**Positive Control:** Skeletal muscle

**Cellular Localization:** Cytoplasmic

**Storage:** Store at 2-8°C. Do not use beyond the expiration date stated on the label.

**References:**

- i) Babai et al. Virchow Arch 55: 263, 1988.
- ii) Schurch et al. Amer J Pathol 128:91, 1987.
- iii) Skalli et al. Am Amer J Pathol 130: 515, 1988.

**Laboratory Reagent For Research Use Only**

JV 05/19/11

Visit our website for your local distributor.

**CEDARLANE**<sup>®</sup>



[www.cedarlanelabs.com](http://www.cedarlanelabs.com)

An ISO 9001:2000 and ISO 13485:2003  
registered company.

**In CANADA: Toll Free: 1-800-268-5058**

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020  
e-mail: [general@cedarlanelabs.com](mailto:general@cedarlanelabs.com)

**In the USA: Toll Free: 1-800-721-1644**

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138  
e-mail: [service@cedarlanelabs.com](mailto:service@cedarlanelabs.com)