



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.

Please contact CEDARLANE® for lot specific information.

Mouse Anti-MUM1 Protein Monoclonal Antibody

CLSG80243

Lot:

Immunogen: Recombinant GST-MUM1 protein.

Clone: MUM1p

Isotype: IgG1

Format: 1 ml. This antibody is supplied as tissue culture supernatant containing sodium azide as preservative.

Titer/Working Dilution: This antibody may be diluted to a titer of 1:10-1:25 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.

Staining Protocol: We suggest an incubation period of 30-60 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation should be determined by the user. High temperature treatment of formalin-fixed tissue sections with 1 mM EDTA buffer, pH 9.0 must be performed prior to the immunostaining.

Specificity: Multiple myeloma oncogene-1 (MUM1) is a 50kD protein encoded by the *MUM1* gene. This antibody stains MUM1 protein, which is expressed in a subset of B cells in the light zone of the germinal center, plasma cells, activated T cells and a wide spectrum of related hematolymphoid neoplasms. This antibody is useful in the sub classification of lymphoid malignancies.

Positive Control: Tonsil

Continued overleaf...

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information
website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com

Cellular Localization: Nuclear and cytoplasmic

Storage: Store the antibody at 2-8°C. Do not use it beyond the expiration date stated on the label.

References: Falini et al. Blood 95: 2083, 2000.
Gaidano et al. Leukemia 14: 563, 2000.
Natkunam et al. Mod Pathol 14: 686, 2001.

For Research Use Only. Not for Diagnostic or Therapeutic Work.

JV 04/24/06