



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TECHNICALLY *Speaking*

Place your order with CEDARLANE® or your local distributor.

Please contact CEDARLANE® for lot specific information.

Rabbit anti-MMP-9 Polyclonal Antibody

CLSG80430
CLSG80430-05
Lot#:

Immunogen:	A synthetic peptide from the middle region of human MMP-9.
Host:	Rabbit
Format:	1 ml (CLSG80430) or 0.5 ml (CLSG80430-05) purified immunoglobulin fraction of rabbit antiserum against human MMP-9 containing sodium azide as preservative.
Titer/Working Dilution:	This antibody may be diluted to a titer of 1:25-1:50 in an ABC method. However, depending on the staining conditions employed, we suggest that final dilution should be determined by the user.
Staining Protocol:	We suggest an incubation period of 30 minutes at room temperature. However, depending upon the fixation conditions and the staining system employed, optimal incubation conditions should be determined by the user. <u>Suitable for formalin/paraffin tissues.</u>
Specificity:	This antibody reacts with a 92 kD pro form and 86 kD active form of MMP-9. MMPs are proteolytic enzymes capable of degrading connective tissue components. MMPs play a crucial role in tumor cell invasion and metastasis. This antibody cross reacts with human and Guinea pig. It does not react with mouse, rat and cow.
Positive Control:	Breast carcinoma
Cellular Localization:	Cytoplasmic
Storage:	Store the antibody at 2-8° c. Do not use it beyond the expiration date stated on he label.

Continued Overleaf...

For more information or to place an order please contact...

CEDARLANE®
LABORATORIES LIMITED



toll free: 1-800-268-5058
in North America

phone: (905) 878-8891 • fax: (905) 878-7800

5516 - 8th Line, R.R.#2, Hornby, Ontario, CANADA L0P 1E0

or visit our website for a list of our international distributors including contact information
website: www.cedarlanelabs.com • e-mail: info@cedarlanelabs.com

References:

- i) Jackson et al. Intl J Biochem Cell Biol 29 (10): 1167, 1997.
- ii) Paquet et al. Eur J Clin Invest 28 (7): 528, 1998.