



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Axygen® 96-well Deep Well Microplates and Sealing Solutions

AXYGEN

A Corning Brand



Features and Benefits

- ▶ Automation friendly
- ▶ Wall-to-wall technology
- ▶ Available sterile or non-sterile
- ▶ Excellent chemical resistance and withstands temperatures down to -80°C
- ▶ RNase-/DNase- free
- ▶ Nonpyrogenic
- ▶ Available with generic bar coding and individually wrapped
- ▶ Manufactured from Polypropylene (PP)

Applications

- ▶ High throughput screening and storage applications

Clear 96-well deep well microplates (Cat. No. P-DW-20-C) are used for sample collection, *in vitro* growth chambers, and long-term storage. Axxygen deep well microplates are manufactured to stringent specifications under strict process controls and assembled via automation to ensure consistent performance and quality.

Compatible Sealing Solutions for 96-well Deep Well Microplates

Corning Cat. No.	Description	Working Volume	Volume with Axxygen Axymat	Qty/Cs	Compatible Axxygen Axymat	Compatible Seals
P-DW-20-C	Axygen 96-well deep well microplate, 2 mL round wells, clear, non-sterile	1.8 mL	1.5 mL	50 microplates	AM-2ML-RD AM-2ML-RD-S AM-2ML-RD-IMP	PCR-AS-200, PCR-AS-600, BF-400, BF-400-S, UC-500, PCR-TS, HS-200, HS-300, HS-400
P-DW-20-C-S	Axygen 96-well deep well microplate, 2 mL round wells, clear, sterile	1.8 mL	1.5 mL	50 microplates	AM-2ML-RD AM-2ML-RD-S AM-2ML-RD-IMP	PCR-AS-200, PCR-AS-600, BF-400, BF-400-S, UC-500, PCR-TS, HS-200, HS-300, HS-400
P-DW-20-C-S-IND	Axygen 96-well deep well microplate, 2 mL round wells, clear, sterile, individually wrapped	1.8 mL	1.5 mL	50 microplates	AM-2ML-RD AM-2ML-RD-S AM-2ML-RD-IMP	PCR-AS-200, PCR-AS-600, BF-400, BF-400-S, UC-500, PCR-TS, HS-200, HS-300, HS-400



Axygen Axymat, silicone




Axygen sealing films

Compatible Axigen® Axymat and Sealing Solution Specifications


Corning Cat. No.	Description	Type	Pierceable	Qty	Temperature
AM-2ML-RD	Pierceable sealing mat for 96-well assay microplate, round wells	Silicone Axymat	Yes	50 mats/cs	Up to -80°C freezer with H ₂ O
AM-2ML-RD-S	Pierceable sealing mat for 96-well assay microplate, round wells, sterile	Silicone Axymat	Yes	50 mats/cs	Up to -80°C freezer with H ₂ O
AM-2ML-RD-IMP	Chemical resistant sealing mat for 96-well assay microplates, round wells	Silicone Axymat	Yes	50 mats/cs	Up to -80°C freezer with H ₂ O
PCR-AS-200	Pierceable, Aluminum	Aluminum sealing film	Yes	100 films/pk, 5 pk/cs	-80°C to 104°C
PCR-AS-600	Aluminum	Aluminum sealing film	Yes	100 films/pk, 5 pk/cs	-80°C to 104°C
BF-400	Rayon	Breatheable sealing film	No	100 films/pk, 5 pk/cs	-20°C to 80°C
BF-400-S	Rayon, sterile	Breatheable sealing film	No	100 films/pk, 5 pk/cs	-20°C to 80°C
UC-500	Polyolefin	Ultraclear sealing film	No	100 films/pk, 5 pk/cs	-70°C to 100°C
PCR-TS	Polyester	Tight seal film	No	100 films/pk, 5 pk/cs	-40°C to 102°C
HS-200	Polyester/Aluminum	Heat seal film	Yes	100 films/pk, 5 pk/cs	-80°C to 90°C
HS-300	Aluminum	Heat seal film	Yes	100 films/pk, 5 pk/cs	-80°C to 120°C
HS-400	Polyester/Aluminum	Heat seal film	Yes	100 films/pk, 5 pk/cs	-80°C to 40°C



Pierceable wells



Rounded bottom and wall-to-wall technology



For more specific information on claims, visit the Certificates page at www.corning.com/lifesciences.

Warranty/Disclaimer: Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications.

For additional product or technical information, visit www.corning.com/lifesciences or call 800.492.1110. Outside the United States, call +1.978.442.2200 or contact your local Corning sales office.

CORNING

Corning Incorporated
Life Sciences

836 North St.
Building 300, Suite 3401
Tewksbury, MA 01876
t 800.492.1110
t 978.442.2200
f 978.442.2476

www.corning.com/lifesciences

ASIA/PACIFIC
Australia/New Zealand
t 61 427286832

China
t 86 21 3338 4338
f 86 21 3338 4300

India
t 91 124 4604000
f 91 124 4604099

Japan
t 81 3-3586 1996
f 81 3-3586 1291

Korea
t 82 2-796-9500
f 82 2-796-9300

Singapore
t 65 6572-9740
f 65 6861-2913

Taiwan
t 886 2-2716-0338
f 886 2-2516-7500

EUROPE
CSEurope@corning.com

France
t 0800 916 882
f 0800 918 636

Germany
t 0800 101 1153
f 0800 101 2427

The Netherlands
t 020 655 79 28
f 020 659 76 73

United Kingdom
t 0800 376 8660
f 0800 279 1117

All Other European Countries
t +31 (0) 206 59 60 51
f +31 (0) 206 59 76 73

LATIN AMERICA
grupoLA@corning.com

Brasil
t 55 (11) 3089-7400

Mexico
t (52-81) 8158-8400