



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CORNING	Life Sciences	Document Number: LSR00143	Rev.: 4
Description (Class): Reference, Customer Technical Data Sheet Falcon® HTS 96-Multiwell Insert Systems			Page: 1 of 2

APPLICATIONS:

- A single-use, automation-friendly platform used for membrane-based cellular assays.
- This system consists of a 96-Multiwell Insert Plate, Lid, and Feeder Tray or Angled Bottom Plate, and is compatible with the high throughput automation systems commonly used in Drug Discovery testing.
- The Multiwell Insert System will support the same cell-based assays currently supported by the individual Falcon or Corning® BioCoat™ cell culture inserts.

FEATURES:

- Compatible with Falcon 96 square well, angled bottom plate and lid (Cat. No. 353925)
- Compatible with common drug screening laboratory robot arms / grippers / manipulators
- Allows multiple sampling from above and below membrane with common automated fluid handler pipet tips without cross contamination of samples
- Allows even coating of membrane surface with matrix proteins
- Provides sterile environment for conducting assays
- Provides adequate gas exchange to maintain pH for conducting assays
- Free of cytotoxic components
- Upper chamber of insert plate holds from 30-70 µL of media without wicking
- Lower chamber (96-well plate) holds from 250-275 µL of media without wicking
- Feeder Tray holds from 25-30 mL of media without wicking
- Plane of membrane lies within working distance of commonly used microscopes
- Alpha-numeric well identification

STERILITY:

Gamma-irradiated

REGULATORY COMPLIANCE:

Products are manufactured under the current ISO 9001.

RESTRICTIONS:

- Product is for Research Use Only. Not for use in diagnostic or therapeutic procedures
- In general, for use with aqueous reagents used for tissue culture
- Refer to "Thermoplastics Properties Chart," available at:
http://catalog2.corning.com/Lifesciences/media/pdf/an_DL_226_Falcon_ThermoPlastics_Broch.pdf

Description (Class):
Reference, Customer Technical Data Sheet Falcon® HTS 96-Multiwell Insert Systems


Page:
2 of 2

RELATED CATALOG NUMBERS:

351130 HTS 96-Multiwell Insert System	1 Micron PET	1/Pack
351131 HTS 96-Multiwell Insert System	1 Micron PET	5/Pack


LID:

Material: PS (Polystyrene)
 Length: **A** = 127.4 mm (5.017 inches)
 Width: **B** = 85.1 mm (3.352 inches)
 Height: **C** = 7.4 mm (0.290 inches)



INSERT PLATE HOUSING:

Material: PET (Polyethylene Terephthalate)
 Length: **D** = 125.6 mm (4.945 inches)
 Width: **E** = 83.1 mm (3.270 inches)
 Height: **F** = 9.3 mm (0.365 inches)
 Ht. w/Lid only: 13.7 mm (0.540 inches)
 Ht. w/Lid & Tray: 19.1 mm (0.750 inches)




Insert Wells:

Top Interior Diameter: 5.7 mm (0.226 inches)
 Bot. Interior (Membrane) Dia: 3.2 mm (0.125 inches)
 Bot. Exterior Diameter: 5.2 mm (0.206 inches)
 Total Well Depth: 10.4 mm (0.410 inches)
 Membrane Dist. from Tray: 3.0 mm (0.120 inches)
 Well to Well Distance: 9.0 mm (0.354 inches)
 Sampling Port Diameter: 2.8 mm (0.110 inches)

FEEDER TRAY:

Material: PS (Polystyrene)
 Length: **G** = 127.8 mm (5.030 inches)
 Width: **H** = 85.5 mm (3.365 inches)
 Height: **J** = 14.4 mm (0.565 inches)
 Height w/Lid only: 16.6 mm (0.655 inches)



Warranty/Disclaimer: Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures.