



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 




# Eribulin Monoclonal Antibody

|                            |                                                                                  |
|----------------------------|----------------------------------------------------------------------------------|
| <b>Product Code</b>        | CSB-MA943989I1m                                                                  |
| <b>Storage</b>             | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.                    |
| <b>Immunogen</b>           | Eribulin-BSA                                                                     |
| <b>Raised In</b>           | Mouse                                                                            |
| <b>Species Reactivity</b>  | Homo sapiens (Human)                                                             |
| <b>Tested Applications</b> | ELISA                                                                            |
| <b>Form</b>                | Liquid                                                                           |
| <b>Conjugate</b>           | Non-conjugated                                                                   |
| <b>Storage Buffer</b>      | Preservative: 0.03% Proclin 300<br>Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 |
| <b>Purification Method</b> | >95%, Protein G purified                                                         |
| <b>Isotype</b>             | IgG2b                                                                            |
| <b>Clonality</b>           | Monoclonal                                                                       |
| <b>Product Type</b>        | Monoclonal Antibody                                                              |
| <b>Research Area</b>       | Others                                                                           |
| <b>Target Names</b>        | Eribulin                                                                         |
| <b>Clone No.</b>           | 45C2G9                                                                           |


## Image



Eribulin antibody on SDS-PAGE under reducing (R) condition. The purity of the protein is greater than 95%.



The Binding Activity of Farletuzumab ecteribulin (Synonyms: MORAb-202) with Anti-Eribulin antibody  
Activity: Measured by its binding ability in a functional ELISA. Immobilized Farletuzumab ecteribulin (Synonyms: MORAb-202) at 2 µg/mL can bind Anti-Eribulin antibody, the EC<sub>50</sub> is 0.7244 to 1.019 ng/mL.



The purity of Mouse Anti-Eribulin Antibody is more than 98% by SEC-HPLC.

## Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.