



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 




TF Recombinant Monoclonal Antibody

Product Code	CSB-RA007928MA2HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Immunogen	Recombinant Human TF protein
Species Reactivity	Human
Tested Applications	ELISA; Recommended dilution: ELISA:1:5000-1:50000
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	Affinity-chromatography
Isotype	hIgG1
Clonality	Monoclonal
Product Type	Recombinant Antibody
Immunogen Species	Homo sapiens (Human)
Research Area	Cardiovascular;Metabolism
Target Names	TF
Clone No.	10F3

Image



The Binding Activity of Human TF with Anti-TF Recombinant Antibody
Activity: Measured by its binding ability in a functional ELISA. Immobilized Human TF (CSB-MP007928HU2) at 2 µg/mL can bind Anti-TF recombinant antibody. The EC₅₀ is 1.434-1.635 ng/mL.



The Binding Activity of Cynomolgus TF with Anti-TF Recombinant Antibody
Activity: Measured by its binding ability in a functional ELISA. Immobilized Cynomolgus TF (CSB-MP6582MOV) at 2 µg/mL can bind Anti-TF recombinant antibody. The EC₅₀ is 0.4495-0.5538 ng/mL.

Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.