



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 




TNFSF15 Recombinant Monoclonal Antibody

Product Code	CSB-RA023992MA1HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	O95150
Immunogen	Recombinant Human TNFSF15 protein
Species Reactivity	Human, Cynomolgus, Mouse
Tested Applications	ELISA; Recommended dilution: ELISA:1:5000-1:50000
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	Affinity-chromatography
Isotype	hIgG1
Clonality	Monoclonal
Product Type	Recombinant Antibody
Immunogen Species	Homo sapiens (Human)
Research Area	Others
Target Names	TNFSF15
Clone No.	3F12


Image



The Binding Activity of Biotinylated Macaca mulatta TNFSF15 with Anti-TNFSF15 recombinant antibody
Activity: Measured by its binding ability in a functional ELISA. Immobilized Anti-TNFSF15 recombinant antibody at 2 µg/mL can bind Biotinylated Macaca mulatta TNFSF15 (CSB-MP5305MOW-B). The EC₅₀ is 0.2589-0.3025 ng/mL.



The Binding Activity of Biotinylated TNFSF15 with Anti-TNFSF15 Recombinant Antibody
Activity: Measured by its binding ability in a functional ELISA. Immobilized Biotinylated Human TNFSF15 at 2 µg/mL on streptavidin coated plates can bind Anti-TNFSF15 recombinant antibody (CSB-RA023992MA1HU). The EC₅₀ is 0.2732 - 0.6370 ng/mL.



The Binding Activity of Mouse Tnfsf15 with Anti-TNFSF15 recombinant antibody
 Activity: Measured by its binding ability in a functional ELISA. Immobilized Mouse Tnfsf15 (CSB-MP729268MO) at 2 µg/mL can bind Anti-TNFSF15 recombinant antibody. The EC₅₀ is 1.671-2.506 ng/mL.

Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.