



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

GP Δ MLD Protein of Zaire Ebolavirus (isolate H.sapiens-wt/GIN/2014/Gueckedou-C07)

CATALOG NUMBER: ZEB-GP-006P, 50 μ g

Introduction The Ebola virus (EBOV) is a mononegavirus which contains a 19 kb single-stand RNA encoding seven proteins. Rates of genetic change of ebolavirus are 100 times slower than influenza A in humans, but on the same magnitude as those of hepatitis B.

The main Ebolavirus glycoprotein (GP) is the only viral protein found on the surface of the Ebola virion and is therefore responsible for mediating attachment and entry of the virus into host cells. The produced GP protein (~120 kDa) is derived from the sequence of a recent Zaire Ebolavirus (ZEBOV) isolate from 2014 outbreak in western Africa.

Applications Western blot standard, antibody ELISA, antigen, etc.

Description Viral protein purified from 293 cell culture


Viral Protein 6x His tagged truncated ectodomain of glycoprotein (GP) without "mucin-like-domain" (amino acid 33-311 and 463-632) of Zaire Ebolavirus (isolate H.sapiens wt/GIN/2014/Gueckedou-C07) (GenBank No. KJ660347), a 151 aa sequence (aa 312-462) was deleted from full length GP protein.

Storage Store at -20 $^{\circ}$ C; Stable for 3-months from the date of shipment when kept at 4 $^{\circ}$ C. Non-hazardous, no MSDS required.

Concentration 1 μ g/ μ l in PBS

Endotoxin Level <0.01 EU per 1 μ g of the protein by LAL test

Purity \geq 95% (by SDS PAGE)



SDS-PAGE: purified GP Δ MLD of Zaire Ebolavirus from 293 cells

GP Δ MLD SEQ:

IPLGVIHNSTLQVSDVDKLVCRDKLSSTNQLRSVGLNLEGNGVATDVPSATKRWGFRRSGVPPKVVNYEAGEWAENCYNLEIKKPDGSECLPAAPDGI RGFPRCRYVHKVSGTGPCAGDFAFHKEGAFFLYDRLASTVIYRGTTFAEGVVAFLILPQAKKDFSSHPLREPVNATEDPSSGYYSTTIRYQATGFGTNETEYLFVEVDNLTYYVQLESRFTTPQFLQLNETIYASGKRSTTTGKLIWKVNPEIDTTIGEWAFWETKKNLTKIRSEELSFTAVNTHHQDTGEESASSGKLG LITNTIAGVAGLITGRRTRREVIVNAQPKCNP NLHYWTTQDEGAAIGLAWIPYFGPAAEGIYTEGLMHNQDGLICGLRQLANETTQALQLFLRATTELRTFSILNRKAIDFLLQRWGGTCHILGPDCCIEPHDWTKNITDKIDQIIHDFVD

Reference:

1. Baize, S, et al. Emergence of Zaire Ebola virus disease in Guinea. N Engl J Med, 371: 1418-1425, 2014.