



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Recombinant DGKZ Monoclonal Antibody

| | | | |
|---------------------|---|-------------------|--------|
| Catalog No. | E-AB-81502 | Reactivity | H,M,R |
| Storage | Store at -20°C. Avoid freeze / thaw cycles. | Host | Rabbit |
| Applications | WB | Isotype | IgG |

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Images



Western blot detection of DGKZ/DGK-zeta in HeLa, A549, HL-60, U2OS, U87-MG cell lysates using DGKZ/DGK-zeta Rabbit mAb (1:1000 diluted). Predicted band size: 104kDa. Observed band size: 124, 114kDa.

Immunogen Information

| | |
|------------------|--|
| Immunogen | Recombinant protein of human DGKZ/DGK-zeta |
| GeneID | 8525 |
| Swissprot | Q13574 |
| Synonyms | DAG kinase zeta, DAGK5, DAGK5 PEN, DAGK6, DGK ZETA, DGK-zeta, Dgkz, DGKZ |

Product Information

| | |
|----------------------|--|
| Calculated MW | 104kDa |
| Observed MW | 124/114kDa |
| Buffer | 50mM Tris-Glycine (pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA |
| Purify | Affinity Purified |
| Clone No. | R04-2A0 |
| Dilution | WB 1:500-1:1000 |

Background

The protein encoded by this gene belongs to the eukaryotic diacylglycerol kinase family. It may attenuate protein kinase C activity by regulating diacylglycerol levels in intracellular signaling cascade and signal transduction. Alternative splicing occurs at this locus and multiple transcript variants encoding distinct isoforms have been identified.

For Research Use Only

Thank you for your recent purchase.
 If you would like to learn more about antibodies, please visit www.elabscience.com.

**Focus on your research
 Service for life science**

Applications: WB-Western Blot IHC-Immunohistochemistry IF-Immunofluorescence IP-Immunoprecipitation FC-Flow cytometry ChIP-Chromatin Immunoprecipitation Reactivity: H-Human R-Rat M-Mouse Mk-Monkey Dg-Dog Ch-Chicken Hm-Hamster Rb-Rabbit Sh-Sheep Pg-Pig Z-Zebrafish X-Xenopus C-Cow.