



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PDILT antibody

Cat No. GTX00747

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	WB, IHC-P, IHC-Fr, IP
Reactivity	Mouse

Package
100 µl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
WB	1:1000
IHC-P	1:100-1:500
IHC-Fr	1:100-1:500
IP	1:100

Not tested in other applications.

Calculated MW 68 kDa. ([Note](#))


PROPERTIES

Form	Liquid
Buffer	Serum with 0.1% sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Immunogen	Two synthetic peptides corresponding to the C-terminal regions of mouse PDILT, C+IRKPEEPERRKETA (550-563) and C+QPKEQPKPERKLEV (571-584), respectively, conjugated with KLH
Purification	Unpurified
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES


**GTX00747 WB Image**

WB analysis of mouse testis tissue samples using GTX00747 PDILT antibody.

Lane 1, 2 : Wild-type mouse (+/+, +/−)

Lane 3 : Knockout PDILT mouse (−/−)

Dilution : 1:1000

**GTX00747 IP Image**

IP analysis of wild-type (+/+) and Pdilt (−/−) mouse testis samples using GTX00747 PDILT antibody.

Lane 1 : Input


Lane 2 : Wild-type

Lane 3 : Pdilt (−/−)

Total protein amount : 100 μg

IP antibody : 1:100


IB antibody : 1:1000

**GTX00747 IHC-Fr Image**

IHC-Fr analysis of mouse testicular tissue section (5 μm) using GTX00747 PDILT antibody.

Dilution : 1:100

Fixation : 4% PFA in PBS

**GTX00747 IHC-P Image**

IHC-P analysis of mouse testis tissue section using GTX00747 PDILT antibody.



For full product information, images and publications, please visit our [website](#).