



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Rabbit anti-human IgA antibody [MSVA-700R] HistoMAX

Cat. No. GTX04490

Host	Rabbit
Clonality	Monoclonal
Isotype	IgG
Application	IHC-P
Reactivity	Human

Package

500 µl, 100 µl

PRODUCT

Summary This antibody was validated on 76 different Normal Tissues by IHC-P.

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
--------------------	----------------------

IHC-P	1:100-1:200
-------	-------------

Note : Manual staining : Heat-induced antigen retrieval for 5 minutes in an autoclave at 121°C in pH 7.8 Tris-EDTA-based Target Retrieval Solution buffer.

Not tested in other applications.

PROPERTIES

Form	Liquid
------	--------

Buffer	10mM PBS, 0.05% BSA (Please contact us for BSA and azide free format)
--------	---

Preservative	0.05% sodium azide
--------------	--------------------

Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
---------	--

Concentration	0.2 mg/ml (Please refer to the vial label for the specific concentration.)
---------------	--

Immunogen	Recombinant full-length human IGHA1 and IGHA2 proteins
-----------	--

Purification	Protein A/G purified
--------------	----------------------

Conjugation	Unconjugated
-------------	--------------


Note For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES

**GTX04490 IHC-P Image**


IHC-P analysis of human duodenum mucosa tissue section using GTX04490 Rabbit anti-human IgA antibody [MSVA-700R] HistoMAX.

Human IgA positive plasma cells are abundant in the duodenum mucosa.

**GTX04490 IHC-P Image**

IHC-P analysis of human tonsil tissue section using GTX04490 Rabbit anti-human IgA antibody [MSVA-700R] HistoMAX.

Human IgA positive plasma cells are numerous in the tonsil.

**GTX04490 IHC-P Image**

IHC-P analysis of human squamous cell carcinoma tissue section using GTX04490 Rabbit anti-human IgA antibody [MSVA-700R] HistoMAX.

Squamous cell carcinoma containing many Human IgA positive plasma cells in its stroma.



For full product information, images and publications, please visit our [website](#).