



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Cyclin D1 antibody [SP4]

Cat. No. GTX04743

|             |            |
|-------------|------------|
| Host        | Rabbit     |
| Clonality   | Monoclonal |
| Isotype     | IgG        |
| Application | IHC-P      |
| Reactivity  | Human      |

Package  
6 ml

## APPLICATION

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|----------------------|
| IHC-P              | 1:25-1:100           |

**Note : Recommendations for antigen retrieval : EDTA Buffer pH 8.0 at room temperature for 30 mins.**

Not tested in other applications.

## PROPERTIES

|               |                                                                                                                                                                                                                            |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Form          | Liquid                                                                                                                                                                                                                     |
| Buffer        | batch dependent                                                                                                                                                                                                            |
| Storage       | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | Batch dependent (Please refer to the vial label for the specific concentration.)                                                                                                                                           |
| Immunogen     | A synthetic peptide from C-terminus of human cyclin D1.                                                                                                                                                                    |
| Purification  | Unpurified<br>From tissue culture supernatant                                                                                                                                                                              |
| Conjugation   | Unconjugated                                                                                                                                                                                                               |


## Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

**DATA IMAGES**

**GTX04743 IHC-P Image**

IHC-P analysis of human breast tissue using GTX04743 Cyclin D1 antibody [SP4].

Antigen retrieval : EDTA Buffer pH 8.0



For full product information, images and publications, please visit our [website](#).