



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Candida albicans antibody (HRP)

Cat. No. GTX04837-01

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	ICC/IF, ELISA, Double immunodiffusion, IHC
Reactivity	Candida albicans

Package
500 µl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
ICC/IF	Assay dependent
ELISA	Assay dependent
Double immunodiffusion	Assay dependent
IHC	Assay dependent

Not tested in other applications.

Product Note

Recognizes numerous proteins in a soluble *C. albicans* extract (IEP). Has not been absorbed and does crossreact with other yeasts. Negative against human serum, urine and spinal fluid.

PROPERTIES

Form	Liquid
Buffer	PBS, 0.1% BSA
Preservative	0.002% Thimerosal
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1-2 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	<i>Candida albicans</i> , Type A (ATCC #32354)_x000D_
Purification	Protein A chromatography purified IgG fraction covalently coupled to a highly purified preparation of horseradish peroxidase (RZ > 3). Care is taken to ensure adequate conjugation while preserving maximum enzyme activity. Free enzyme is absent. The estimated molar HRP: IgG substitution is 2-3.
Conjugation	Horseradish peroxidase(HRP)



For full product information, images and publications, please visit our [website](#).

Date 2024 / 12 / 12 Page 1 of 2

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).