



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CD317 antibody [C48]

Cat. No. GTX04888

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Application	WB, IHC-P, FACS, IP
Reactivity	Human

Package
100 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000-1:10000
IHC-P	Assay dependent
FACS	Assay dependent
IP	Assay dependent

Note : Recommend working under the non-reducing condition.

Not tested in other applications.

PROPERTIES

Form	Liquid
Buffer	PBS, 50% Glycerol
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	mixture 786-O and Caki-1 renal cancer cell lines
Purification	Purified by Protein G
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


DATA IMAGES



GTX04888 IHC-P Image

IHC-P analysis of human normal and tumor tissue arrays using GTX04888 CD317 antibody [C48].

Dilution : 1 µg /ml




GTX04888 WB Image

WB analysis of 786-O whole cell lysate using GTX04888 CD317 antibody [C48].

Loading : 20 µg

Dilution : 1:1000




GTX04888 FACS Image

FACS analysis of 786-O cells (left) and Caki-1 cells (right) using GTX04888 CD317 antibody [C48].

Pink : Primary antibody

Gray : Control IgG

Dilution : 1 µg /ml



GTX04888 IP Image

IP analysis of 786-O whole cell lysate using GTX04888 CD317 antibody [C48]

IP antibody amount : 50 µL in 1 mL of RIPA buffer from 1 x 10⁷ cells.



For full product information, images and publications, please visit our [website](https://www.genetex.com).