



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

ATP5H antibody

Cat. No. GTX04925

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	WB, ICC/IF, IHC-P
Reactivity	Human, Mouse, Rat, Monkey

Package
100 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	0.1-0.5µg/ml
ICC/IF	5µg/ml
IHC-P	2-5µg/ml

Not tested in other applications.

Calculated MW 18 kDa. ([Note](#))

PROPERTIES

Form	Liquid
Buffer	4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na ₂ HPO ₄
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	E.coli-derived human ATP5H recombinant protein (Position: A2-L161)
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES


GTX04925 ICC/IF Image


ICC/IF analysis of PFA-fixed T47D cells using GTX04925 ATP5H antibody.

Antigen retrieval : Enzyme antigen retrieval was performed using IHC enzyme antigen retrieval reagent.

Green : Primary antibody

Blue : DAPI


Dilution : 5 µg/ml


GTX04925 IHC-P Image

IHC-P analysis of human rectal cancer tissue using GTX04925 ATP5H antibody.

Antigen retrieval : Heat mediated antigen retrieval was performed in EDTA buffer (pH8.0)


Dilution : 2 µg/ml


GTX04925 WB Image

WB analysis of various samples using GTX04925 ATP5H antibody.

Loading : 30µg

Dilution : 0.5 µg/mL


GTX04925 WB Image

WB analysis of various samples using GTX04925 ATP5H antibody.

Loading : 30µg

Dilution : 0.5 µg/mL



For full product information, images and publications, please visit our [website](https://www.genetex.com).