



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## TLE1 antibody [MSVA-856R] HistoMAX™

Cat. No. GTX04966

|             |            |
|-------------|------------|
| Host        | Rabbit     |
| Clonality   | Monoclonal |
| Isotype     | IgG        |
| Application | IHC-P      |
| Reactivity  | Human      |

## Package

500 µl, 100 µl

## PRODUCT

**Summary** This antibody was validated on 76 different Normal Tissues by IHC-P.

## APPLICATION

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|----------------------|
|--------------------|----------------------|

|       |               |
|-------|---------------|
| IHC-P | 1:100 - 1:200 |
|-------|---------------|

**Note : Heat-induced antigen retrieval for 5 minutes in an autoclave at 121°C in pH 7.8 Tris-EDTA-based Target Retrieval Solution buffer.**

Not tested in other applications.

## PROPERTIES

|               |                                                                                                                                                                                                                            |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Form          | Liquid                                                                                                                                                                                                                     |
| Buffer        | 10mM PBS, BSA (Please contact us for sodium azide-free or sodium azide and BSA-free format)                                                                                                                                |
| Preservative  | sodium azide                                                                                                                                                                                                               |
| Storage       | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | 66.66 µg/ml (Please refer to the vial label for the specific concentration.)                                                                                                                                               |
| Immunogen     | Recombinant human TLE1 fragment                                                                                                                                                                                            |
| Purification  | Protein A/G purified                                                                                                                                                                                                       |
| Conjugation   | Unconjugated                                                                                                                                                                                                               |

## Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

## DATA IMAGES




### GTx04966 IHC-P Image

IHC-P analysis of human endometrium tissue using GTx04966 TLE1 antibody [MSVA-856R] HistoMAX™. Endometrium with moderate to strong TLE1 staining of epithelial and stromal cells.



### GTx04966 IHC-P Image

IHC-P analysis of human lymph node tissue using GTx04966 TLE1 antibody [MSVA-856R] HistoMAX™. Lymph node with weak to moderate TLE1 staining in a subset of lymphocytes predominantly in germinal centres.



### GTx04966 IHC-P Image

IHC-P analysis of human synovial sarcoma tissue using GTx04966 TLE1 antibody [MSVA-856R] HistoMAX™. Synovial sarcoma with strong TLE1 positivity of all tumor cells.



For full product information, images and publications, please visit our [website](https://www.genetex.com).