



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



Fibronectin antibody [N1N2], N-term

Cat No. GTX112794

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	WB, ICC/IF, IHC-P, IHC-Fr, IP, ELISA
Reactivity	Human, Mouse, Rat

Reference (33)
 Package
 25 µl, 100 µl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
WB	1:500-1:3000
ICC/IF	1:100-1:1000
IHC-P	1:100-1:1000
IHC-Fr	Assay dependent
IP	1:100-1:500
ELISA	1:1000-1:10000

Not tested in other applications.

Calculated MW 263 kDa. ([Note](#))


PROPERTIES

Form	Liquid
Buffer	1XPBS, 1% BSA, 20% Glycerol (pH7). 0.025% ProClin 300 was added as a preservative.
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.14 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant protein encompassing a sequence within the N-terminus region of human Fibronectin. The exact sequence is proprietary.
Purification	Purified by antigen-affinity chromatography.
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.




For full product information, images and publications, please visit our [website](#).


Date 2019 / 07 / 08 Page 1 of 2

DATA IMAGES

GTx112794 WB Image


Non-transfected (–) and transfected (+) HeLa whole cell extracts (30 µg) were separated by 5% SDS-PAGE, and the membrane was blotted with Fibronectin antibody [N1N2], N-term (GTx112794) diluted at 1:2000. The HRP-conjugated anti-rabbit IgG antibody (GTx213110-01) was used to detect the primary antibody, and the signal was developed with Trident ECL plus-Enhanced.


GTx112794 IP Image

Fibronectin antibody [N1N2], N-term immunoprecipitates Fibronectin protein in IP experiments. IP Sample: HeLa whole cell lysate/extract A : 30 µg whole cell lysate/extract of Fibronectin protein expressing HeLa cells B : Control with 3 µg of pre-immune rabbit IgG C : Immunoprecipitation of Fibronectin by 3 µg of Fibronectin antibody [N1N2], N-term (GTx112794) 5% SDS-PAGE The immunoprecipitated Fibronectin protein was detected by Fibronectin antibody [N1N2], N-term (GTx112794) diluted at 1 : 1000. EasyBlot anti-rabbit IgG (HRP) (GTx221666-01) was used as a secondary reagent.


GTx112794 ICC/IF Image

Immunofluorescence analysis of paraformaldehyde-fixed HeLa, using Fibronectin (GTx112794) antibody at 1:200 dilution.


GTx112794 IHC-P Image

Fibronectin antibody [N1N2], N-term detects FN1 protein at cytosol on human hepatoma by immunohistochemical analysis.

Sample: Paraffin-embedded hepatoma.

Fibronectin antibody [N1N2], N-term (GTx112794) dilution: 1:500.

Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min



For full product information, images and publications, please visit our [website](http://www.genetex.com).