



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Transferrin antibody [HTF-14]

Cat No. GTX20769

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Application	WB, ICC/IF, IHC-P, ELISA, RIA
Reactivity	Human, Rabbit, Pig

Package
100 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
WB	Assay dependent
ICC/IF	Assay dependent
IHC-P	Assay dependent
ELISA	Assay dependent
RIA	Assay dependent

Not tested in other applications.

Specificity/Sensitivity

This antibody recognizes an epitope located in the N-terminal domain of human serum transferrin. This product does not react with Sheep,Bovine,Dog,Horse.


PROPERTIES

Form	Liquid
Buffer	PBS, 15mM sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Purified porcine transferrin.
Purification	Purified by precipitation and chromatography
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES

**GTX20769 WB Image**

WB analysis of human transferrin using GTX20769 Transferrin antibody [HTF-14].

Lane 1-3 : reducing hTransferrin (5 μ g/well, 3 μ g/well, 1 μ g/well)

Lane 4-6 : non-reducing hTransferrin(1 μ g/well, 3 μ g/well, 5 μ g/well)



For full product information, images and publications, please visit our [website](#).