

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





ATP5J antibody [HL2934]

Cat. No. GTX640318

Host	Rabbit
Clonality	Monoclonal
Isotype	IgG
Application	WB, IHC-P
Reactivity	Human, Mouse, Rat

Package $100~\mu l, 25~\mu l$

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
IHC-P	Assay dependent
Not tested in other applications.	

Observed MW 13 kDa.

PROPERTIES	
Form	Liquid
Buffer	PBS
Preservative	No preservative
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Full length human ATP5J recombinant protein.
Purification	Affinity purified by Protein A.
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our website.

Date 2024 / 12 / 12 Page 1 of 2

€ 886-3-6208988 📻 886-3-6208989 🐷 infoasia@genetex.com

DATA IMAGES



GTX640318 WB Image

Various tissue extracts (50 μ g) were separated by 15% SDS-PAGE, and the membrane was blotted with ATP5J antibody [HL2934] (GTX640318) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.




GTX640318 IHC-P Image

ATP5J antibody [HL2934] detects ATP5J protein by immunohistochemical analysis. Sample: Paraffin-embedded human glioblastoma.

ATP5J stained by ATP5J antibody [HL2934] (GTX640318) diluted at 1:100.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min




GTX640318 IHC-P Image

ATP5J antibody [HL2934] detects ATP5J protein by immunohistochemical analysis. Sample: Paraffin-embedded human kidney.

ATP5J stained by ATP5J antibody [HL2934] (GTX640318) diluted at 1:100.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



GTX640318 WB Image

Various whole cell extracts (30 μ g) were separated by 15% SDS-PAGE, and the membrane was blotted with ATP5J antibody [HL2934] (GTX640318) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 12 / 12 Page 2 of 2