



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Dopamine Receptor D2 antibody [HL3159]

Cat. No. GTX640669

Host	Rabbit
Clonality	Monoclonal
Isotype	IgG
Applications	IHC-P, IHC-Fr
Reactivity	Mouse, Rat

Package
100 µl, 25 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
IHC-P	1:100-1:1000
IHC-Fr	1:100-1:1000

Not tested in other applications.

Product Note This antibody was raised against human Dopamine Receptor D2 Intracellular domain.

Properties


Form	Liquid
Buffer	PBS
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Synthetic peptide encompassing a sequence within the Intracellular domain of human Dopamine Receptor D2. The exact sequence is proprietary.
Purification	Affinity purified by Protein A.
Conjugation	Unconjugated

Note For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES

GTX640669 IHC-P Image


Dopamine Receptor D2 antibody [HL3159] detects Dopamine Receptor D2 protein by immunohistochemical analysis.

Sample: Paraffin-embedded mouse striatum.

Dopamine Receptor D2 stained by Dopamine Receptor D2 antibody [HL3159] (GTX640669) diluted at 1:250 and highly cited competitor's antibody diluted at 1:50.

Antigen Retrieval: Tris-EDTA buffer, pH 9.0, 15 min

*Competitor's antibody is not affiliated with GeneTex and does not endorse this product.


GTX640669 IHC-Fr Image

Dopamine Receptor D2 antibody [HL3159] detects Dopamine Receptor D2 protein by immunohistochemical analysis.


Sample: Frozen-sectioned mouse striatum.

Green: Dopamine Receptor D2 stained by Dopamine Receptor D2 antibody [HL3159] (GTX640669) diluted at 1:250 and highly cited competitor's antibody diluted at 1:250.

Red: NF-H antibody [GT114] (GTX634289) diluted at 1:500.

Blue: Fluoroshield with DAPI (GTX30920).

*Competitor's antibody is not affiliated with GeneTex and does not endorse this product.


GTX640669 IHC-P Image

Dopamine Receptor D2 antibody [HL3159] detects Dopamine Receptor D2 protein by immunohistochemical analysis.

Sample: Paraffin-embedded mouse brain.

Dopamine Receptor D2 stained by Dopamine Receptor D2 antibody [HL3159] (GTX640669) diluted at 1:250.

Antigen Retrieval: Tris-EDTA buffer, pH 9.0, 15 min


GTX640669 IHC-P Image

Dopamine Receptor D2 antibody [HL3159] detects Dopamine Receptor D2 protein by immunohistochemical analysis.

Sample: Paraffin-embedded mouse brain.

Dopamine Receptor D2 stained by Dopamine Receptor D2 antibody [HL3159] (GTX640669) diluted at 1:100.

Antigen Retrieval: Tris-EDTA buffer, pH 9.0, 15 min



For full product information, images and publications, please visit our [website](https://www.genetex.com).