

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

ATR (phospho Ser428) antibody [HL3246]

Cat. No. GTX640889

Host	Rabbit
Clonality	Monoclonal
lsotype	lgG
Application	WB, ICC/IF
Reactivity	Human, Mouse

Package

100 μl, 25 μl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution	
WB	1:500-1:3000	
ICC/IF	Assay dependent	
Not tested in other applications.		

Observed MW


260 kDa.

PROPERTIES	
Form	Liquid
Buffer	PBS
Preservative	No preservative
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Carrier-protein conjugated synthetic peptide surrounding phospho Ser428 of human ATR. The exact sequence is proprietary.
Purification	Affinity purified by Protein A.
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our <u>website</u>.

DATA IMAGES



GTX640889 WB Image

Untreated (–) and treated (+) mouse tissue extract (50 μ g) were separated by 5% SDS-PAGE, and the membrane was blotted with ATR (phospho Ser428) antibody [HL3246] (GTX640889) diluted at 1:2500. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.




GTX640889 ICC/IF Image

ATR (phospho Ser428) antibody [HL3246] detects ATR (phospho Ser428) protein by immunofluorescent analysis.

Sample: Mock and treated HeLa cells were fixed in ice-cold MeOH for 5 min.


Green: ATR (phospho Ser428) stained by ATR (phospho Ser428) antibody [HL3246] (GTX640889) diluted at 1:500.

Red: alpha Tubulin, a cytoskeleton marker, stained by alpha Tubulin antibody [GT114] (GTX628802) diluted at 1:1000.





Untreated (–) and treated (+) 293T whole cell extracts (30 µg) were separated by 5% SDS-PAGE, and the membrane was blotted with ATR (phospho Ser428) antibody [HL3246] (GTX640889) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



GTX640889 WB Image

Untreated (–) and treated (+) 293T whole cell extracts (30 µg) were separated by 5% SDS-PAGE, and the membranes were blotted with ATR (phospho Ser428) antibody [HL3246] (GTX640889) diluted at 1:1000 and ATR antibody (GTX70109) diluted at 1:500. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 12 / 12 Page 2 of 2