



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Neurologin 3 antibody [HL3585]

Cat. No. GTX641556

Host	Rabbit
Clonality	Monoclonal
Isotype	IgG
Applications	WB, IHC-P
Reactivity	Human, Mouse, Rat

Package
100 µl, 25 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
IHC-P	Assay dependent

Not tested in other applications.

Observed MW (kDa) 120 kDa.

Product Note

This antibody may not be suitable for human IHC-P assay, as its human reactivity is based on WB testing. This antibody was raised against human Neurologin 3 Extracellular domain.

Properties

Form	Liquid
Buffer	PBS
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant protein encompassing a sequence within the Extracellular domain of human Neurologin 3. The exact sequence is proprietary.
Purification	Affinity purified by Protein A.
Conjugation	Unconjugated




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.


DATA IMAGES

GTx641556 IHC-P Image

Neuroigin 3 antibody [HL3585] detects Neuroigin 3 protein by immunohistochemical analysis.

Sample: Paraffin-embedded mouse hippocampus.

Neuroigin 3 stained by Neuroigin 3 antibody [HL3585] (GTx641556) diluted at 1:200.

Antigen Retrieval: Tris-EDTA buffer, pH 9.0, 15 min


GTx641556 IHC-P Image


Neuroigin 3 antibody [HL3585] detects Neuroigin 3 protein by immunohistochemical analysis.

Sample: Paraffin-embedded mouse tissues.

Neuroigin 3 stained by Neuroigin 3 antibody [HL3585] (GTx641556) diluted at 1:200.

Antigen Retrieval: Tris-EDTA buffer, pH 9.0, 15 min

Corresponding RNA levels (RPKM) in the tissues are based on NCBI database.



GTx641556 IHC-P Image

Neuroigin 3 antibody [HL3585] detects Neuroigin 3 protein by immunohistochemical analysis.

Sample: Paraffin-embedded rat cerebellum.

Neuroigin 3 stained by Neuroigin 3 antibody [HL3585] (GTx641556) diluted at 1:250.

Antigen Retrieval: Tris-EDTA buffer, pH 9.0, 15 min


GTx641556 IHC-P Image

Neuroigin 3 antibody [HL3585] detects Neuroigin 3 protein by immunohistochemical analysis.

Sample: Paraffin-embedded rat tissues.

Neuroigin 3 stained by Neuroigin 3 antibody [HL3585] (GTx641556) diluted at 1:250.

Antigen Retrieval: Tris-EDTA buffer, pH 9.0, 15 min

Corresponding RNA levels (RPKM) in the tissues are based on NCBI database.



For full product information, images and publications, please visit our [website](https://www.genetex.com).