



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



GPM6A antibody [HMOV3973] HistoMAX™

Cat. No. GTX642299

Host	Rabbit
Clonality	Monoclonal
Isotype	IgG
Applications	IHC-P
Reactivity	Human

Package

500 µl, 100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
IHC-P	1:100-1:200

Note : Heat-induced antigen retrieval for 5 minutes in an autoclave at 121°C in pH 7.8 Target Retrieval Solution buffer.

Not tested in other applications.

Product Note **Highly recommended for IHC-P in human tissues.**

Properties

Form	Liquid
Buffer	PBS, 2% BSA
Preservative	0.025% ProClin 300
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	17 µg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Synthetic peptide encompassing a sequence within the Intracellular domain of mouse GPM6A. The exact sequence is proprietary.
Purification	Affinity purified by Protein A.
Conjugation	Unconjugated

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES

GTX642299 IHC-P Image


IHC-P analysis of human cerebellum (white matter) tissue using GTX642299 GPM6A antibody [HMOV3973] HistoMAX™.

A moderate fibrillar GPM6A staining of nerve fibres, at least in specific regions of the cerebrum.


GTX642299 IHC-P Image


IHC-P analysis of human cerebrum (grey matter) tissue using GTX642299 GPM6A antibody [HMOV3973] HistoMAX™.

A strong membranous GPM6A staining of neurons especially along axons, at least in specific regions of the cerebrum.


GTX642299 IHC-P Image

IHC-P analysis of human cerebellum cortex (molecular layer, Purkinje cell layer, and granule cell layer) tissue using GTX642299 GPM6A antibody [HMOV3973] HistoMAX™.

A strong membranous GPM6A staining of neurons including Purkinje cells, and a fraction of cells in the granule cell layer. Positivity especially occurs along axons.


GTX642299 IHC-P Image

IHC-P analysis of human glioblastoma multiforme tissue using GTX642299 GPM6A antibody [HMOV3973] HistoMAX™.

A strong GPM6A staining of tumor cells.



For full product information, images and publications, please visit our [website](#).