



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

BDNF antibody [HL4205]

Cat. No. GTX643028

Host	Rabbit
Clonality	Monoclonal
Isotype	IgG
Applications	IHC-P
Reactivity	Mouse, Rat

Package
100 µl, 25 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
IHC-P	1:100-1:1000

Not tested in other applications.

Properties

Form	Liquid
Buffer	PBS
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml
Immunogen	Synthetic peptide of human BDNF.
Purification	Affinity purified by Protein A.
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


DATA IMAGES

GTX643028 IHC-P Image

BDNF antibody [HL4205] detects BDNF protein by immunohistochemical analysis.

Sample: Paraffin-embedded mouse cerebellum.

BDNF stained by BDNF antibody [HL4205] (GTX643028) diluted at 1:200.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



GTX643028 IHC-P Image

BDNF antibody [HL4205] detects BDNF protein by immunohistochemical analysis.

Sample: Paraffin-embedded mouse hippocampus.

BDNF stained by BDNF antibody [HL4205] (GTX643028) diluted at 1:200.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



GTX643028 IHC-P Image

BDNF antibody [HL4205] detects BDNF protein by immunohistochemical analysis.

Sample: Paraffin-embedded rat hippocampus.

BDNF stained by BDNF antibody [HL4205] (GTX643028) diluted at 1:200.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



GTX643028 IHC-P Image

BDNF antibody [HL4205] detects BDNF protein by immunohistochemical analysis.

Sample: Paraffin-embedded rat brain.

BDNF stained by BDNF antibody [HL4205] (GTX643028) diluted at 1:200.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min


GTX643028 IHC-P Image

BDNF antibody [HL4205] detects BDNF protein by immunohistochemical analysis.

Sample: Paraffin-embedded rat hippocampus.

BDNF stained by BDNF antibody [HL4205] (GTX643028) diluted at 1:200.

Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



For full product information, images and publications, please visit our [website](https://www.genetex.com).