



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

GFAP antibody, C-term

Cat No. GTX89226

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Application	WB, IHC-P, IHC-Fr, ELISA, sELISA
Reactivity	Human, Mouse, Rat

Package
100 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
WB	0.003-0.03µg/ml
IHC-P	Assay dependent
IHC-Fr	Assay dependent
ELISA	Assay dependent
sELISA	Assay dependent

Not tested in other applications.


Calculated MW 50 kDa. ([Note](#))

PROPERTIES

Form	Liquid
Buffer	Tris saline pH7.3, 0.02% sodium azide, 0.5% BSA.
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.50 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Peptide with sequence C-DGEVIKESKQEHKD, from the C Terminus of the protein sequence according to NP_002046.1.
Purification	Purified by ammonium sulphate precipitation followed by antigen affinity chromatography
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES

GTX89226 WB Image

WB analysis of human cerebellum (A), mouse (B) and rat (C) brain lysate using GTX89226 GFAP antibody, C-term.

Dilution : 0.01µg/ml


Loading : 35µg protein in RIPA buffer


GTX89226 IHC-P Image

IHC-P analysis of human cortex using GTX89226 GFAP antibody, C-term.

Antigen retrieval : citrate buffer pH 6


Dilution : 5µg/ml


GTX89226 IHC-Fr Image

IHC-Fr analysis of PFA-perfused human hypothalamus using GTX89226 GFAP antibody, C-term.

Antigen retrieval : citrate buffer pH 6 at 80C for 30min


Dilution : 0.01µg/ml


GTX89226 IHC-P Image

IHC-P analysis of human cerebellum using GTX89226 GFAP antibody, C-term.

Antigen retrieval : citrate buffer pH 6

Dilution : 2µg/ml


GTX89226 ELISA Image

ELISA analysis of GFAP protein using GTX89226 GFAP antibody, C-term.

Capture : GTX108711 (5µg/ml)

Detection : GTX89226 (5µg/ml)



For full product information, images and publications, please visit our [website](https://www.genetex.com).