



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

GDF15 antibody, C-term

Cat No. GTX89503

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Application	WB, IHC-P, FACS
Reactivity	Human

Package
100 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
WB	0.1-0.3µg/ml
IHC-P	5µg/ml
FACS	10µg/ml

Not tested in other applications.

Calculated MW 34 kDa. ([Note](#))


PROPERTIES

Form	Liquid
Buffer	Tris saline pH7.3, 0.02% sodium azide, 0.5% BSA.
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.50 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Peptide with sequence C-QKTDGTGVSLQTYDD, from the C Terminus of the protein sequence according to NP_004855.2.
Purification	Purified by ammonium sulphate precipitation followed by antigen affinity chromatography
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.



For full product information, images and publications, please visit our [website](#).


Date 2019 / 07 / 08 Page 1 of 2

DATA IMAGES

GTX89503 IHC-P Image

IHC-P analysis of human prostate using GTX89503 GDF15 antibody, C-term.

Antigen retrieval : citrate buffer pH 6


Dilution : 5µg/ml


GTX89503 WB Image


WB analysis of human testes (A) and negative control skin (B) lysate using GTX89503 GDF15 antibody, C-term.

Dilution : 0.3µg/ml

Loading : 35µg protein in RIPA buffer


GTX89503 WB Image

WB analysis of HEK293 overexpressing GDF15 (mock transfection in first lane) using GTX89503 GDF15 antibody, C-term.


GTX89503 FACS Image

FACS analysis of PFA fixed HeLa cells using GTX89503 GDF15 antibody, C-term.

Blue : Primary antibody

Black : Isotype control

Permeabilization : 0.5% Triton

Dilution : 10µg/ml



For full product information, images and publications, please visit our [website](http://www.genetex.com).