



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Mouse 4-1BB In Vivo Antibody - Low Endotoxin (3H3) [ICH1036]

SKU: ICH1036

Link: <https://www.ichor.bio/product/anti-4-1bb-in-vivo-antibody-low-endotoxin-3h3-ich1036/>



Product Information

Category: anti-mouse, anti-rat, Low Endotoxin, Ultra Low Endotoxin

Size: 1mg, 5mg, 25mg, 50mg, 100mg

Endotoxin Level: Low, Ultra low

Product Description

Product Benefits:

ichorbio's anti-4-1BB In Vivo Antibody - Low Endotoxin (3H3) is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility. ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from our competitors (<http://www.ichor.bio/comparing-ichorbio-to-bio-x-cell-biolegend/>), at less than 1.0 EU/mg. If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have even less endotoxin (<0.75EU/mg) at an even higher purity (98% versus 95%). ichorbio offers Amazon vouchers or donations to the NC3Rs for reviews of this product: click here (<http://www.ichor.bio/amazon-vouchers/>) for more information. ichorbio: the best antibodies for *in vivo* research.

Target:

4-1BB

Clone:

3H3

Isotype:

Rat IgG2a

Other Names:

4-1BB ligand receptor, T-cell antigen 4-1BB, Tnfrsf9, Ila, Ly63, CD137

Uniprot:

P20334 (<https://www.uniprot.org/uniprot/P20334>)

Host:

Rat

Species Reactivity:

Mouse, Rat

Specificity:

Anti-4-1BB In Vivo Antibody - Low Endotoxin (3H3) recognizes an epitope on Mouse 4-1BB

Purification Method:

This monoclonal antibody was purified using multi-step affinity chromatography methods such as Protein A or G depending on the species and isotype.

Antigen Distribution:

Activated T cells and B cells

Background:

4-1BB (CD137) is a costimulatory molecule expressed on the surface of activated T cells and plays a role in T-cell-mediated proliferative response. 4-1BB signal regulates CD28 co-stimulation in the targeted subset cells to favor Th1 development and maintain long-term cell growth. 4-1BB is also expressed on dendritic cells (DCs) and controls the duration, DC-T interaction, and, therefore, immunogenicity. Clone 3H3 antibody is an agonistic antibody that has been shown to stimulate 4-1BB signaling in vivo.

Immunogen:

Unknown

Concentration:

1.0 - 5.0 mg/ml

Formulation:

0.01 M phosphate buffered saline (PBS) pH 7.2, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and Azide free.

Purity:

>95% by SDS-PAGE and HPLC

>98% by SDS-PAGE and HPLC

Endotoxin:

≤ 1.0 EU/mg as determined by the LAL method

<0.5 EU/mg as determined by the LAL method

Aggregation:

Aggregation level ≤ 5%

Aggregation level ≤ 1%

IMPACT Pathogen Test:

We use the IMPACT test generated by IDEXX Laboratories to guarantee our Ultra Low Endotoxin antibodies are pathogen free. Our rat antibodies are tested for:

Mycoplasma spp

Mycoplasma pulmonis

Pneumonia virus of mice

Kilham's rat virus

Toolan's H1 virus

Rat parvovirus

Lymphocytic choriomeningitis virus

Rat cytomegalovirus

Sendai virus

Rat coronavirus

Sialodacryoadenitis virus

Rat minute virus

Seoul virus

Mouse adenovirus

Reovirus 3

Rat theilovirus

Storage:

anti-4-1BB In Vivo Antibody - Low Endotoxin (3H3) is stable for at least one week when stored sterile at 2-8°C. For long term storage aseptically aliquot in working volumes without diluting and store at -80°C. Avoid Repeated Freeze Thaw Cycles.

Applications:

Western Blot, Functional Assays

Application Notes:

Each investigator should determine their own optimal working dilution for specific applications.

Use:

Products are for research use only. Not for use in diagnostic or therapeutic procedures.

Isotype Control:

Rat IgG2a In Vivo Isotype Control - Low Endotoxin [1-1]_(ICH2244).

(<http://www.ichor.bio/product/Rat-IgG2a-In-Vivo-Isotype-Control-Low-Endotoxin-1-1-ICH2244>).

Related Antibody:

Anti-4-1BB In Vivo Antibody - Ultra Low Endotoxin [3H3]_(ICH1036UL).

(<http://www.ichor.bio/product/Anti-4-1BB-In-Vivo-Antibody-Low-Endotoxin-3H3-ICH1036>).