



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Mouse CD8a In Vivo Antibody - Low Endotoxin (53-6.7) [ICH1044]

SKU: ICH1044

Link: <https://www.ichor.bio/product/anti-cd8a-in-vivo-antibody-low-endotoxin-53-6-7-ich1044/>



Product Information

Category: anti-mouse, Low Endotoxin, Ultra Low Endotoxin

Size: 1mg, 5mg, 25mg, 50mg, 100mg

Endotoxin Level: Low, Ultra low

Product Description

Product Benefits:

ichorbio's anti-CD8a In Vivo Antibody - Low Endotoxin (53-6.7) is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility. ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from our competitors (<http://www.ichor.bio/comparing-ichorbio-to-bio-x-cell-biolegend/>), at less than 1.0 EU/mg. If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have even less endotoxin (<0.75EU/mg) at an even higher purity (98% versus 95%). ichorbio offers Amazon vouchers or donations to the NC3Rs for reviews of this product: click [here](#) (<http://www.ichor.bio/amazon-vouchers/>) for more information. ichorbio: the best antibodies for *in vivo* research.

Target:

CD8a

Clone:

53-6.7

Isotype:

Rat IgG2a

Other Names:

CD8 alpha chain, Lyt-2, Lyt2

Uniprot:[P01731 \(https://www.uniprot.org/uniprot/P01731\)](https://www.uniprot.org/uniprot/P01731)**Host:**

Rat

Species Reactivity:

Mouse

Specificity:

Anti-CD8a In Vivo Antibody - Low Endotoxin (53-6.7) recognizes Lyt 2, lymphocyte differentiation antigen. The antibody precipitates 44 kDa and 33 kDa proteins and reacts with non-polymorphic determinant.

Antigen Distribution:

Present on the surface of most thymocytes and a subpopulation of mature T-lymphocytes which include most T suppressor/cytotoxic cells. CD8 participates in T-cell activation through its association with the T-cell receptor complex and protein tyrosine kinase lck.

Background:

CD8, a.k.a Lyt-2, Ly-2, or T8, consists of disulfide-linked A and B chains that form the A(CD8a)/B(CD8b) heterodimer and A/A homodimer. CD8a is a 34 kD protein that belongs to the immunoglobulin family. The CD8 A/B heterodimer is expressed on the surface of most thymocytes and a subset of mature TCR A/B T cells.

Immunogen:

Mouse thymus or spleen

Concentration:

1.0 - 5.0 mg/ml

Formulation:

0.01 M phosphate buffered saline (PBS) pH 7.2, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and Azide free.

Purity:

>95% by SDS-PAGE and HPLC

>98% by SDS-PAGE and HPLC

Endotoxin:

≤ 1.0 EU/mg as determined by the LAL method

≤ 0.75 EU/mg as determined by the LAL method

Aggregation:

Aggregation level ≤ 5%

Aggregation level ≤ 1%

IMPACT Pathogen Test:

We use the IMPACT test generated by IDEXX Laboratories to guarantee our Ultra Low Endotoxin antibodies are pathogen free. Our rat antibodies are tested for: Mycoplasma spp Mycoplasma pulmonis Pneumonia virus of mice Kilham's rat virus Toolan's H1 virus Rat parvovirus Lymphocytic choriomeningitis virus Rat cytomegalovirus Sendai virus Rat coronavirus Sialodacryoadenitis virus Rat minute virus Seoul virus Mouse adenovirus Reovirus 3 Rat theilovirus

Storage:

anti-CD8a In Vivo Antibody - Low Endotoxin (53-6.7) is stable for at least one week when stored sterile at 2-8°C. For long term storage aseptically aliquot in working volumes without diluting and store at -80°C. Avoid Repeated Freeze Thaw Cycles.

Applications:

Immunoprecipitation, Western Blot

Application Notes:

Immunoprecipitation: Rat Anti-Mouse CD8a (Clone 53-6.7) precipitates 44 kDa and 33 kDa proteins. Each investigator should determine their own optimal working dilution for specific applications.

Use:

Products are for research use only. Not for use in diagnostic or therapeutic procedures.

Isotype Control:

[Rat IgG2a In Vivo Isotype Control - Low Endotoxin \[1-1\]_\(ICH2244\)](http://www.ichor.bio/product/Rat-IgG2a-In-Vivo-Isotype-Control-Low-Endotoxin-1-1-ICH2244)

[.\(http://www.ichor.bio/product/Rat-IgG2a-In-Vivo-Isotype-Control-Low-Endotoxin-1-1-ICH2244\)](http://www.ichor.bio/product/Rat-IgG2a-In-Vivo-Isotype-Control-Low-Endotoxin-1-1-ICH2244)

Related Antibody:

[Anti-CD8a In Vivo Antibody - Ultra Low Endotoxin \[53-6.7\]_\(ICH1044UL\)](http://www.ichor.bio/product/Anti-CD8a-In-Vivo-Antibody-Low-Endotoxin-53-6.7-ICH1044)

[.\(http://www.ichor.bio/product/Anti-CD8a-In-Vivo-Antibody-Low-Endotoxin-53-6.7-ICH1044\)](http://www.ichor.bio/product/Anti-CD8a-In-Vivo-Antibody-Low-Endotoxin-53-6.7-ICH1044)

Antibodies against the same target:

[Anti-CD8a In Vivo Antibody - Low Endotoxin \[2.43\]_\(ICH1045\)](http://www.ichor.bio/product/Anti-CD8a-In-Vivo-Antibody-Low-Endotoxin-2.43-ICH1045)

[.\(http://www.ichor.bio/product/Anti-CD8a-In-Vivo-Antibody-Low-Endotoxin-2.43-ICH1045\)](http://www.ichor.bio/product/Anti-CD8a-In-Vivo-Antibody-Low-Endotoxin-2.43-ICH1045), [Anti-CD8a In Vivo Antibody - Ultra Low Endotoxin \[2.43\]_\(ICH1045UL\)](http://www.ichor.bio/product/Anti-CD8a-In-Vivo-Antibody-Ultra-Low-Endotoxin-2.43-ICH1045UL)

(<http://www.ichor.bio/product/Anti-CD8a-In-Vivo-Antibody-Low-Endotoxin-2.43-ICH1045>)