



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-CD278 In Vivo Antibody - Low Endotoxin (7E.17G9) [ICH1082]

SKU: ICH1082

Link: <https://www.ichor.bio/product/anti-cd278-in-vivo-antibody-low-endotoxin-7e-17g9-ich1082/>



Product Information

Category: anti-mouse, Low Endotoxin, Ultra Low Endotoxin

Size: 1mg, 5mg, 25mg, 50mg, 100mg

Endotoxin Level: Low, Ultra low

Product Description

Product Benefits:

ichorbio's anti-CD278 In Vivo Antibody - Low Endotoxin (7E.17G9) is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility. ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from our competitors (<http://www.ichor.bio/comparing-ichorbio-to-bio-x-cell-biolegend/>) at less than 1.0 EU/mg. If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have even less endotoxin (<0.75EU/mg) at an even higher purity (98% versus 95%). ichorbio offers Amazon vouchers or donations to the NC3Rs for reviews of this product: click [here](http://www.ichor.bio/amazon-vouchers/) (<http://www.ichor.bio/amazon-vouchers/>) for more information. ichorbio: the best antibodies for *in vivo* research.

Target:

CD278

Clone:

7E.17G9

Isotype:

Rat IgG2b

Other Names:

Inducible T-cell costimulator, Icos, Activation-inducible lymphocyte immunomediatory molecule, CD28 and CTLA-4-like protein, CCLP, CD28-related protein 1, CRP-1, Ailim

Uniprot:

[Q9WVS0](https://www.uniprot.org/uniprot/Q9WVS0) (<https://www.uniprot.org/uniprot/Q9WVS0>).

Host:

Rat

Species Reactivity:

Mouse

Specificity:

Anti-CD278 In Vivo Antibody - Low Endotoxin (7E.17G9) recognizes an epitope on Mouse ICOS

Purification Method:

This monoclonal antibody was purified using multi-step affinity chromatography methods such as Protein A or G depending on the species and isotype.

Background:

Inducible co-stimulator (ICOS), also called ALIM and H4, is a homodimeric protein and member of the CD28 family of immune co-stimulatory receptors. Other family members are CD28, CTLA-4 and PD-1. ICOS enhances all basic T cell responses to a foreign antigen, namely proliferation, secretion of lymphokines, up-regulation of molecules that mediate cell-cell interaction, and effective help for antibody secretion by B cells. Unlike the constitutively expressed CD28, ICOS has to be de novo induced on the T cell surface, does not up-regulate the production of IL-2,

but superinduces the synthesis of IL-10, a B cell-differentiation factor. In vivo, ICOS is highly expressed on tonsillar T cells, which are closely associated with B cells in the apical light zone of germinal centres, the site of terminal B cell maturation. ICOS regulates CD28-dependent and CD28-independent CD4 (+) subset (Th1 and Th2) responses. It is a major regulator of the adaptive immune system and therefore, has a protective role in inflammatory autoimmune diseases.

Concentration:

1.0 - 5.0 mg/ml

Formulation:

0.01 M phosphate buffered saline (PBS) pH 7.2, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and Azide free.

Purity:

>95% by SDS-PAGE and HPLC

>98% by SDS-PAGE and HPLC

Endotoxin:

≤ 1.0 EU/mg as determined by the LAL method

≤ 0.75 EU/mg as determined by the LAL method

Aggregation:

Aggregation level ≤ 5%

Aggregation level ≤ 1%

IMPACT Pathogen Test:

We use the IMPACT test generated by IDEXX Laboratories to guarantee our Ultra Low Endotoxin antibodies are pathogen free. Our rat antibodies are tested for:

Mycoplasma spp

Mycoplasma pulmonis

Pneumonia virus of mice

Kilham's rat virus

Toolan's H1 virus

Rat parvovirus

Lymphocytic choriomeningitis virus

Rat cytomegalovirus

Sendai virus

Rat coronavirus

Sialodacryoadenitis virus

Rat minute virus

Seoul virus

Mouse adenovirus

Reovirus 3

Rat theilovirus

Storage:

anti-CD278 In Vivo Antibody - Low Endotoxin (7E.17G9) is stable when stored at 2-8°C. Do not freeze. For long term storage aseptically aliquot in working volumes

without diluting and store at -80°C . Avoid Repeated Freeze Thaw Cycles.

Applications:

Western Blot, Blocking, Functional Assays

Application Notes:

Each investigator should determine their own optimal working dilution for specific applications.

Use:

Products are for research use only. Not for use in diagnostic or therapeutic procedures.

Isotype Control:

Rat IgG2b In Vivo Isotype Control - Low Endotoxin [1-2] (ICH2243)

(<http://www.ichor.bio/product/Rat-IgG2b-In-Vivo-Isotype-Control-Low-Endotoxin-1-2-ICH2243>)

Related Antibody:

Anti-CD278 In Vivo Antibody - Ultra Low Endotoxin [7E.17G9] (ICH1082UL)

(<http://www.ichor.bio/product/Anti-CD278-In-Vivo-Antibody-Low-Endotoxin-7E.17G9-ICH1082>)