



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# Anti-Mouse CD276 (MJ18) In Vivo Antibody - Low Endotoxin

## Anti-Mouse CD276 In Vivo Antibody (MJ18) - Low Endotoxin

### Product Benefits:

ichorbio's anti-Mouse CD276 In Vivo Antibody (MJ18) - Low Endotoxin is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility.

ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from [Bio X Cell](#) at less than 1.0 EU/mg.

If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have even less endotoxin (0.5 EU/mg) at an even higher purity (98% versus 95%).

ichorbio: the best antibodies for *in vivo* research.

### Target:

CD276

### Clone:

MJ18

### Size:

ichorbio's MJ18 *in vivo* antibody is available in the following bulk sizes: 5mg, 25mg, 50mg and 100mg. ichorbio regularly manufactures multi-gram amounts of our anti-mouse CD276 MJ18 clone - please contact us for pricing.

### Isotype:

Rat IgG1 kappa

### Host:

Rat

### Species Reactivity:

Mouse

### Specificity:

MJ18 activity is directed against mouse CD276 also known as B7-H3.

**Antigen Distribution:**

CD276 is weakly expressed on activated lymphocytes, macrophages, dendritic cells, nasal and airway epithelial cells, osteoblasts, and some tumor cell lines. A soluble form is secreted by monocytes, dendritic cells, and activated T cells.

**Immunogen:**

Mouse B7-H3 IgG2a fusion protein.

**Concentration:**

1.0 - 5.0 mg/ml

**Formulation:**

0.01 M phosphate buffered saline (PBS) pH 7.2, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and Azide free.

**Purity:**

>95% by SDS-PAGE and HPLC

>98% by SDS-PAGE and HPLC

**Endotoxin:**

1.0 EU/mg as determined by the LAL method

? 0.5 EU/mg as determined by the LAL method

**Aggregation:**

Aggregation level ? 5%

Aggregation level ? 1%

**IMPACT Pathogen Test:**

We use the IMPACT test generated by IDEXX Laboratories to guarantee our Ultra Low Endotoxin antibodies are pathogen free. Our mouse antibodies are tested for: Mycoplasma spp., Mycoplasma pulmonis, Sendai virus, Mouse hepatitis virus, Pneumonia virus of mice, Minute virus of mice, Mouse parvovirus (MPV1-5), Theiler's murine encephalomyelitis virus, Murine norovirus, Reovirus 3, Mouse rotavirus, Ectromelia virus, Lymphocytic choriomeningitis virus, Polyoma virus, Lactate dehydrogenase-elevating virus, Mouse adenovirus (MAD1, MAD2), Mouse cytomegalovirus K virus, Mouse thymic virus, Hantaan virus, Corynebacterium bovis, Corynebacterium spp. (HAC2)

**Storage:**



Anti-Mouse CD276 In Vivo Antibody (MJ18) is stable for at least one week when stored sterile at 2-8°C. For long term storage aseptically aliquot in working volumes without diluting and store at -20°C in a manual defrost freezer. Avoid Repeated Freeze Thaw Cycles.

**Applications:**

Blocking, Flow Cytometry

**Application Notes:**

Each investigator should determine their own optimal working dilution for specific applications.

**Use:**

Products are for research use only.