



**SZABO  
SCANDIC**

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](http://linkedin.com/company/szaboscandic)



## Anti- Human CD3 (33-2A3)

Fluorochrome	Reference	Size
Pure	3PUI-OIMG	100 test
FITC	3F1-I00T	100 test
PE	3PE1-I00T	100 test
PerCP	3PP1-I00T	100 test
APC	3AI-I00T	100 test
DY634	3DY1-I00T	100 test
Biotin	3B1-OIMG	100 test
CF-Blue	3CFB1-I00T	100 test
APC-C750	3AC750-I00T	100 test
PerCP-Cyanine5.5	3PPC5.5-I00T	100 test

### PRODUCT DESCRIPTION

**Clone:** 33-2A3

**Isotype:** IgG2a

**Tested application:** flow cytometry

**Immunogen:** The anti-CD3 monoclonal antibody derives from human leukocytes.

**Species reactivity:** Human

**Storage instruction:** store in the dark at 2-8 °C

**Storage buffer:** aqueous buffered solution containing protein stabilizer and 0.09% sodium azide (NaN<sub>3</sub>).

**Recommended usage:** Immunostep's CD3, clone 33-2A3, is a monoclonal antibody intended for the identification and enumeration of human T cells subsets using flow cytometry. This reagent is effective for direct immunofluorescence staining of human tissue for flow cytometric analysis using 1 test for 10<sup>6</sup> cells.

**Presentation:** liquid

**Source:** Supernatant proceeding from an *in vitro* cell culture of a cell hybridoma.

**Purification:** Affinity chromatography.

### ANTIGEN DETAILS

**Large description:** The monoclonal antibody is directed against the CD3- antigen (T3-antigen), which is expressed on human T lymphocytes. The monoclonal antibody reacts with 80-90% human peripheral T lymphocytes and medullary thymocytes. The monoclonal antibody does not react with B-cells, monocytes, granulocytes and platelets. The monoclonal antibody is mitogenic for resting T lymphocytes and it blocks the cytolytic activity of CTL clones.<sup>(1-5)</sup>

**Other Names:** Leu-4, T3

**Gene ID:** 915

**Molecular weight:** 22/26/30 kDa

Please, refer to [www.immunostep.com](http://www.immunostep.com) technical support for more information.

### WARRANTY

Warranted only to conform to the quantity and contents stated on the label or in the product labelling at the time of delivery to the customer. Immunostep disclaims hereby other warranties. Immunostep's sole liability is limited to either the replacement of the products or refund of the purchase price.

### REFERENCES

- Bohnhorst JO, Bjorgan MB, Thoen JE, Natvig JB, Thompson KM. Bml-Bm5 classification of peripheral blood B cells reveals circulating germinal center founder cells in healthy individuals and disturbance in the B cell subpopulations in patients with primary Sjogren's syndrome. *J Immunol* 2001 Oct 1;167(7):3610-8.
- Buxade M, Ramirez-Alvarado M, Fernandez-Troy N, MacKenzie S, Casaroli-Marano RP, Vilella R, et al. Integrating signals from T-cell receptor and serum by T cells enhance translation of tumour necrosis factor-alpha. *Immunology* 2001 Apr;102(4):416-25.
- Gimferrer I, Calvo M, Mittelbrunn M, Farnos M, Sarrias MR, Enrich C, et al. Relevance of CD6-mediated interactions in T cell activation and proliferation. *J Immunol* 2004 Aug 15;173(4):2262-70.
- Gimferrer I, Farnos M, Calvo M, Mittelbrunn M, Enrich C, Sanchez-Madrid F, et al. The accessory molecules CD5 and CD6 associate on the membrane of lymphoid T cells. *J Biol Chem* 2003 Mar 7;278(10):8564-71.
- Kleijn M, Proud CG. The regulation of protein synthesis and translation factors by CD3 and CD28 in human primary T lymphocytes. *BMC Biochem* 2002 May 17;3:11.

### MANUFACTURED BY



**Immunostep S.L.**  
**Avda. Universidad de Coimbra, s/n**  
**Cancer Research Center (CIC)**  
**Campus Miguel de Unamuno**  
**37007 Salamanca (Spain)**  
**Tel. (+34) 923 294 827**  
**www.immunostep.com**