



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CYM 9484

Cat. No.:	HY-107735		
CAS No.:	1383478-94-1		
Molecular Formula:	C ₂₇ H ₃₁ N ₃ O ₃ S ₂		
Molecular Weight:	509.68		
Target:	Neuropeptide Y Receptor		
Pathway:	GPCR/G Protein; Neuronal Signaling		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	2 years
		-20°C	1 year



SOLVENT & SOLUBILITY

In Vitro	DMSO : 50.97 mg/mL (100.00 mM; Need ultrasonic and warming)					
	Preparing Stock Solutions	Solvent Concentration	Mass	1 mg	5 mg	10 mg
		1 mM		1.9620 mL	9.8101 mL	19.6202 mL
		5 mM		0.3924 mL	1.9620 mL	3.9240 mL
		10 mM		0.1962 mL	0.9810 mL	1.9620 mL
Please refer to the solubility information to select the appropriate solvent.						
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.08 mg/mL (4.08 mM); Clear solution					
	2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.08 mg/mL (4.08 mM); Clear solution					
	3. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.08 mg/mL (4.08 mM); Clear solution					

BIOLOGICAL ACTIVITY

Description	CYM 9484 is a selective and highly potent neuropeptide Y (NPY) Y2 receptor antagonist with an IC ₅₀ value of 19 nM ^[1] .
IC ₅₀ & Target	NPY Y ₂ receptor 19 nM (IC ₅₀)
In Vitro	SF-11 is a selective, brain-penetrant NPY Y2 receptor antagonist with an IC ₅₀ value of 190 nM. Systematically explore the SAR of the hit molecule SF-11 that leads to the identification of selective and highly potent small molecule NPY Y2 receptor

antagonist CYM 9484 (Compound 16). CYM 9484 is 10-fold more potent than the hit molecule SF-11. CYM 9484 is prepared by the coupling of α,α -diphenylpiperidino-4-methanol with a variety of aryl isothiocyanates^[1].
MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Mittapalli GK, et al. Synthesis and SAR of selective small molecule neuropeptide Y Y2 receptor antagonists. Bioorg Med Chem Lett. 2012 Jun 15;22(12):3916-20.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA