



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

VU 0255035

Cat. No.: HY-108234
CAS No.: 1135243-19-4
Molecular Formula: C₁₈H₂₀N₆O₃S₂
Molecular Weight: 432.52
Target: mAChR
Pathway: GPCR/G Protein; Neuronal Signaling
Storage: 4°C, protect from light
 * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)



SOLVENT & SOLUBILITY

In Vitro	DMSO : 62.5 mg/mL (144.50 mM; ultrasonic and warming and heat to 60°C)				
	Preparing Stock Solutions	Solvent Concentration Mass	1 mg	5 mg	10 mg
		1 mM	2.3120 mL	11.5602 mL	23.1203 mL
		5 mM	0.4624 mL	2.3120 mL	4.6241 mL
		10 mM	0.2312 mL	1.1560 mL	2.3120 mL
Please refer to the solubility information to select the appropriate solvent.					
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.08 mg/mL (4.81 mM); Clear solution				
	2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.08 mg/mL (4.81 mM); Clear solution				

BIOLOGICAL ACTIVITY

Description	VU 0255035 is a highly selective, competitive and brain penetrant muscarinic M1 receptor antagonist with an IC ₅₀ of 130 nM. VU 0255035 reduces pilocarpine-induced seizures in mice. VU0255035 is used to examine the role of the M1 receptor in diverse situations ^[1] .
-------------	--

REFERENCES

[1]. Sheffler DJ, et al. A novel selective muscarinic acetylcholine receptor subtype 1 antagonist reduces seizures without impairing hippocampus-dependent learning. Mol Pharmacol. 2009 Aug;76(2):356-68.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA