



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



QX-314 chloride

Cat. No.:	HY-108505
CAS No.:	5369-03-9
Molecular Formula:	C ₁₆ H ₂₇ ClN ₂ O
Molecular Weight:	298.85
Target:	Sodium Channel
Pathway:	Membrane Transporter/Ion Channel
Storage:	4°C, sealed storage, away from moisture and light * In solvent : -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture and light)



SOLVENT & SOLUBILITY

In Vitro	H ₂ O : 50 mg/mL (167.31 mM; Need ultrasonic) DMSO : 14.29 mg/mL (47.82 mM; Need ultrasonic)				
	Preparing Stock Solutions	Solvent Concentration Mass	1 mg	5 mg	10 mg
		1 mM	3.3462 mL	16.7308 mL	33.4616 mL
		5 mM	0.6692 mL	3.3462 mL	6.6923 mL
		10 mM	0.3346 mL	1.6731 mL	3.3462 mL
Please refer to the solubility information to select the appropriate solvent.					
In Vivo	1. Add each solvent one by one: PBS Solubility: 100 mg/mL (334.62 mM); Clear solution; Need ultrasonic				
	2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 1.14 mg/mL (3.81 mM); Clear solution				
	3. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 0.83 mg/mL (2.78 mM); Clear solution				
	4. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 0.83 mg/mL (2.78 mM); Clear solution				

BIOLOGICAL ACTIVITY

Description	QX-314 chloride is a membrane-impermeable permanently charged sodium channel blocker ^[1] .
IC ₅₀ & Target	sodium channel ^[1]
In Vitro	QX-314 chloride exerts biphasic effects on transient receptor potential vanilloid subtype 1 channels (TRPV1) in vitro ^[2] .

?QX-314 chloride (1–60 mM) directly activates TRPV1 in a concentration-dependent manner^[2].

?QX-314 chloride (10 mM) inhibits calcium currents in hippocampal CA1 pyramidal neurons intracellular, and the low-threshold (T-type) Ca^{2+} currents are on average < 45% of control amplitude^[2].

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Rivera-Acevedo RE, et al. The quaternary lidocaine derivative, QX-314, exerts biphasic effects on transient receptor potential vanilloid subtype 1 channels in vitro. *Anesthesiology*. 2011 Jun;114(6):1425-34.

[2]. Talbot MJ, et al. Intracellular QX-314 inhibits calcium currents in hippocampal CA1 pyramidal neurons. *J Neurophysiol*. 1996 Sep;76(3):2120-4.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA