



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

VIT-2763

Cat. No.:	HY-112220
CAS No.:	2095668-10-1
Molecular Formula:	C ₂₁ H ₂₁ FN ₆ O ₂
Molecular Weight:	408.43
Target:	Ferroportin
Pathway:	Membrane Transporter/Ion Channel
Storage:	Powder -20°C 3 years 4°C 2 years In solvent -80°C 2 years -20°C 1 year



SOLVENT & SOLUBILITY

In Vitro	DMSO : 83.33 mg/mL (204.03 mM; Need ultrasonic)					
	Preparing Stock Solutions	Solvent Concentration	Mass	1 mg	5 mg	10 mg
		1 mM		2.4484 mL	12.2420 mL	24.4840 mL
		5 mM		0.4897 mL	2.4484 mL	4.8968 mL
		10 mM		0.2448 mL	1.2242 mL	2.4484 mL
Please refer to the solubility information to select the appropriate solvent.						
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.08 mg/mL (5.09 mM); Clear solution					
	2. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.08 mg/mL (5.09 mM); Clear solution					

BIOLOGICAL ACTIVITY

Description	VIT-2763, an oral ferroportin inhibitor, inhibits hepcidin binding to ferroportin and blocks iron efflux. VIT-2763 has the potential in the treatment of β-thalassemia ^[1] .
In Vitro	VIT-2763 dose dependently reduces the fluorescence polarization signal, indicating that VIT-2763 displaces TMR-hepcidin from ferroportin (IC ₅₀ of 24 ± 13 nM) ^[1] . VIT-2763 induces BLA reporter gene activity with an average EC ₅₀ of 140 ± 50 nM, as a consequence of increasing intracellular iron concentrations caused by blocked iron export in HEK293 cells ^[1] . VIT-2763 (100 nM) triggers ubiquitination and subsequent internalization and degradation of ferroportin ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only. Cell Viability Assay ^[1] .

	Cell Line:	J774 cells.
	Concentration:	100 nM.
	Incubation Time:	10, 20, 40, 60, or 120 minutes.
	Result:	Induced ferroportin internalization and ubiquitination.
In Vivo	VIT-2763 (30, 100 mg/kg, orally twice daily for 36 days) decreases serum iron and prevented liver iron loading in Hbb^{th3/+} mice^[1]. VIT-2763 did not change the total liver iron^[1]. VIT-2763 (30, 100 mg/kg, orally twice daily for 36 days) significantly corrects anemia and improved RBC parameters in Hbb^{th3/+} mice. VIT-2763 decreases the percentage of ROS-positive RBCs in Hbb^{th3/+} mice from 67% to 30%^[1]. VIT-2763 decreases apoptosis and extends the life span of RBCs in Hbb^{th3/+} mice^[1]. MCE has not independently confirmed the accuracy of these methods. They are for reference only.	
	Animal Model:	Hbb ^{th3/+} mice ^[1] .
	Dosage:	30, 100 mg/kg.
	Administration:	Orally twice daily for 36 days.
	Result:	Significantly decreased serum iron levels by 77% (30 mg/kg) and 84% (100 mg/kg), Significantly increased Hb levels (as of day 8 of treatment), RBC counts, mean corpuscular Hb concentration (MCHC), and significantly lowered reticulocyte counts, mean corpuscular Hb (MCH), mean corpuscular volume (MCV), and RBC distribution width (RDW) in Hbb ^{th3/+} mice, as compared with the Hbb ^{th3/+} vehicle group.

CUSTOMER VALIDATION

- Development. 2023 May 25;dev.201690.

See more customer validations on www.MedChemExpress.com

REFERENCES

[1]. Vania Manolova, et al. Oral Ferroportin Inhibitor Ameliorates Ineffective Erythropoiesis in a Model of β -Thalassemia. J Clin Invest. 2019 Dec 9;130(1):491-506.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA