



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

JND3229

Cat. No.:	HY-119944
CAS No.:	2260886-64-2
Molecular Formula:	C ₃₃ H ₄₁ ClN ₈ O ₂
Molecular Weight:	617.18
Target:	EGFR
Pathway:	JAK/STAT Signaling; Protein Tyrosine Kinase/RTK
Storage:	Powder -20°C 3 years 4°C 2 years In solvent -80°C 6 months -20°C 1 month



SOLVENT & SOLUBILITY

In Vitro	DMSO : 12.5 mg/mL (20.25 mM; Need ultrasonic)				
	Preparing Stock Solutions	Solvent Concentration Mass	1 mg	5 mg	10 mg
		1 mM	1.6203 mL	8.1014 mL	16.2027 mL
		5 mM	0.3241 mL	1.6203 mL	3.2405 mL
		10 mM	0.1620 mL	0.8101 mL	1.6203 mL
Please refer to the solubility information to select the appropriate solvent.					
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 1.25 mg/mL (2.03 mM); Clear solution				
	2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 1.25 mg/mL (2.03 mM); Clear solution				
	3. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 1.25 mg/mL (2.03 mM); Clear solution				

BIOLOGICAL ACTIVITY

Description	JND3229 is a reversible EGFR ^{C797S} inhibitor with IC ₅₀ values of 5.8, 6.8 and 30.5 nM for EGFR ^{L858R/T790M/C797S} , EGFR ^{WT} and EGFR ^{L858R/T790M} , respectively. JND3229 has good anti-proliferative activity and can effectively inhibit tumour growth in vivo. JND3229 can be used in cancer research, especially in non-small cell carcinoma ^[1] .
IC ₅₀ & Target	IC ₅₀ : 5.8 nM (EGFR ^{L858R/T790M/C797S}), 6.8 nM (EGFR ^{WT}), 30.5 nM (EGFR ^{L858R/T790M}) ^[1] .
In Vitro	JND3229 potently inhibits the proliferation of BaF3 cells (harboring the EGFR ^{L858R/T790M/C797S} and EGFR ^{19D/T790M/C797S}

mutations), NCI-H1975 NSCLC cells (with EGFR^{T790M} mutation) and A431 cancer cells (overexpressing EGFR^{WT}) with IC₅₀ values of 0.51, 0.32, 0.31 and 0.27 μ M, respectively^[1].
 JND3229 (0.1, 0.3, 1, 3, 10 μ M; 2 h) potently inhibits the phosphorylation of EGFR^{L858R/T790M/C797S} and EGFR^{19D/T790M/C797S} in engineering BaF3 cells^[1].
 MCE has not independently confirmed the accuracy of these methods. They are for reference only.
 Western Blot Analysis^[1]

Cell Line:	BaF3 cells (overexpressing EGFR ^{L858R/T790M/C797S} or EGFR ^{19D/T790M/C797S})
Concentration:	0.1, 0.3, 1, 3, 10 μ M
Incubation Time:	2 h
Result:	Significantly inhibited the phosphorylation of EGFR ^{L858R/T790M/C797S} and EGFR ^{19D/T790M/C797S} in a dose-dependent manner.

In Vivo

JND3229 (10 mg/kg; i.p.; twice daily for 10 days) exhibits an obvious suppression of tumor growth, and shows target inhibition in vivo^[1].
 MCE has not independently confirmed the accuracy of these methods. They are for reference only.

Animal Model:	BALB/c mice (bearing established BaF3-EGFR ^{19D/T790M/C797S} mouse xenograft tumors model) ^[1] .
Dosage:	10 mg/kg
Administration:	Intraperitoneal injection; twice daily for 10 days.
Result:	Caused an obvious suppression of tumor growth with a Tumor Growth Inhibition (TGI) value of 42.2%. Showed well tolerance without obvious body weight loss or other obvious toxic sign in the treated animals. Significantly decreased the level of phosphorylated EGFR (p-EGFR) in the tumor tissues.

REFERENCES

[1]. Lu X, et al. Discovery of JND3229 as a New EGFR^{C797S} Mutant Inhibitor with In Vivo Monodrug Efficacy. ACS Med Chem Lett. 2018 Oct 8;9(11):1123-1127.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA