



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

N-Acetyltyramine

Cat. No.:	HY-120504
CAS No.:	1202-66-0
Molecular Formula:	C ₁₀ H ₁₃ NO ₂
Molecular Weight:	179.22
Target:	Bacterial
Pathway:	Anti-infection
Storage:	Powder -20°C 3 years 4°C 2 years In solvent -80°C 6 months -20°C 1 month



SOLVENT & SOLUBILITY

In Vitro

DMSO : 100 mg/mL (557.97 mM; Need ultrasonic)

	Solvent Concentration	Mass	1 mg	5 mg	10 mg
Preparing Stock Solutions	1 mM		5.5797 mL	27.8987 mL	55.7973 mL
	5 mM		1.1159 mL	5.5797 mL	11.1595 mL
	10 mM		0.5580 mL	2.7899 mL	5.5797 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

N-Acetyltyramine is a quorum-sensing inhibitor (QSI) compound produced by *V. alginolyticus* M3-10. N-Acetyltyramine is capable of inhibiting the QS of *C. violaceum* ATCC 12472. N-acetyltyramine reverses resistance in Doxorubicin-resistant leukemia P388 cells^{[1][2]}.

In Vitro

N-Acetyltyramine enhances cytotoxicity of doxorubicin in resistant P388 murine leukemia cells with an IC₅₀ value of 0.13 μg/ml compared with an IC₅₀ value of 0.48 μg/ml for doxorubicin alone^[2].
MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Reina JC, et al. A Quorum-Sensing Inhibitor Strain of *Vibrio alginolyticus* Blocks Qs-Controlled Phenotypes in *Chromobacterium violaceum* and *Pseudomonas aeruginosa*. *Mar Drugs*. 2019;17(9):494. Published 2019 Aug 24.

[2]. Kunimoto S, et al. Reversal of resistance by N-acetyltyramine or N-acetyl-2-phenylethylamine in doxorubicin-resistant leukemia P388 cells. *J Antibiot (Tokyo)*.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA