



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

YH239-EE

Cat. No.:	HY-12287		
CAS No.:	1364488-67-4		
Molecular Formula:	C ₂₅ H ₂₇ Cl ₂ N ₃ O ₄		
Molecular Weight:	504.41		
Target:	MDM-2/p53; Apoptosis; E1/E2/E3 Enzyme		
Pathway:	Apoptosis; Metabolic Enzyme/Protease		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	2 years
		-20°C	1 year



SOLVENT & SOLUBILITY

In Vitro

DMSO : ≥ 55 mg/mL (109.04 mM)

* "≥" means soluble, but saturation unknown.

	Solvent Concentration	Mass		
		1 mg	5 mg	10 mg
Preparing Stock Solutions	1 mM	1.9825 mL	9.9126 mL	19.8251 mL
	5 mM	0.3965 mL	1.9825 mL	3.9650 mL
	10 mM	0.1983 mL	0.9913 mL	1.9825 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

YH239-EE, ethyl ester of the free carboxylic acid compound YH239, is a potent p53-MDM2 antagonizing and apoptosis-inducing agent. IC₅₀ value: Target: MDM2/p53 YH239-EE inhibits the growth of OCI-AML-3 cells with wild type p53 by inhibiting the p53-MDM2 interaction. YH239-EE induces cell cycle arrest and causes potent cell apoptosis via activation of p53 and downstream targets in four AML cells (OCI-AML-3 and MOLM-13 with wt p53, NB4 with p53 mutation, and HL60 with p53 deletion).

CUSTOMER VALIDATION

- Viruses. 2023 Feb 28.

See more customer validations on www.MedChemExpress.com

REFERENCES

[1]. Huang Y, et al. Discovery of highly potent p53-MDM2 antagonists and structural basis for anti-acute myeloid leukemia activities. ACS Chem Biol. 2014 Mar 21;9(3):802-11.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA