



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Gamcemetinib

Cat. No.:	HY-139504
CAS No.:	1887069-10-4
Molecular Formula:	C ₂₂ H ₂₀ ClN ₅ O ₃ S
Molecular Weight:	469.94
Target:	MAPKAPK2 (MK2)
Pathway:	MAPK/ERK Pathway
Storage:	Powder -20°C 3 years 4°C 2 years In solvent -80°C 6 months -20°C 1 month



SOLVENT & SOLUBILITY

In Vitro	DMSO : 37.5 mg/mL (79.80 mM; ultrasonic and warming and heat to 60°C)					
	Preparing Stock Solutions	Solvent Concentration	Mass	1 mg	5 mg	10 mg
		1 mM		2.1279 mL	10.6397 mL	21.2793 mL
		5 mM		0.4256 mL	2.1279 mL	4.2559 mL
		10 mM		0.2128 mL	1.0640 mL	2.1279 mL
Please refer to the solubility information to select the appropriate solvent.						
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: 1.5 mg/mL (3.19 mM); Suspended solution; Need ultrasonic					

BIOLOGICAL ACTIVITY

Description	Gamcemetinib (CC-99677) is a potent, covalent, and irreversible inhibitor of the mitogen-activated protein (MAP) kinase-activated protein kinase-2 (MK2) pathway in both biochemical (IC ₅₀ =156.3 nM) and cell based assays (EC ₅₀ =89 nM). Gamcemetinib is extracted from patent WO2020236636, compound 1 ^[1] .
IC ₅₀ & Target	MK2 ^[1]
In Vitro	Gamcemetinib is a potent, covalent, and irreversible inhibitor of the mitogen-activated protein (MAP) kinase-activated protein kinase-2 (MK2) pathway in both biochemical (IC ₅₀ =156.3 nM) and cell based assays (EC ₅₀ =89 nM) ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA