



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Cabergoline-d₅

Cat. No.:	HY-15296S
CAS No.:	1426173-20-7
Molecular Formula:	C ₂₆ H ₃₂ D ₅ N ₅ O ₂
Molecular Weight:	456.64
Target:	Dopamine Receptor; Autophagy; Isotope-Labeled Compounds
Pathway:	GPCR/G Protein; Neuronal Signaling; Autophagy; Others
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



BIOLOGICAL ACTIVITY

Description	Cabergoline-d ₅ is the deuterium labeled Cabergoline. Cabergoline is an ergot derived-dopamine D ₂ -like receptor agonist that has high affinity for D ₂ , D ₃ , and 5-HT _{2B} receptors (K _i =0.7, 1.5, and 1.2, respectively)[1][2].	
IC ₅₀ & Target	D ₃ Receptor	D ₂ Receptor
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	

REFERENCES

- [1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019;53(2):211-216.
- [2]. Odaka H, et al. Cabergoline, dopamine D₂ receptor agonist, prevents neuronal cell death under oxidative stress via reducing excitotoxicity. PLoS One. 2014 Jun 10;9(6):e99271.
- [3]. Jefferson F, et al. A dopamine receptor d₂-type agonist attenuates the ability of stress to alter sleep in mice. Endocrinology. 2014 Nov;155(11):4411-21.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA