



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



CPDA

Cat. No.:	HY-18685
CAS No.:	1415834-63-7
Molecular Formula:	C ₂₀ H ₁₅ ClF ₂ N ₂ O ₂
Molecular Weight:	388.8
Target:	Phosphatase
Pathway:	Metabolic Enzyme/Protease
Storage:	Powder -20°C 3 years 4°C 2 years In solvent -80°C 2 years -20°C 1 year



SOLVENT & SOLUBILITY

In Vitro

DMSO : ≥ 50 mg/mL (128.60 mM)
 * "≥" means soluble, but saturation unknown.

	Solvent Concentration	Mass	1 mg	5 mg	10 mg
Preparing Stock Solutions	1 mM		2.5720 mL	12.8601 mL	25.7202 mL
	5 mM		0.5144 mL	2.5720 mL	5.1440 mL
	10 mM		0.2572 mL	1.2860 mL	2.5720 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline
 Solubility: ≥ 2.5 mg/mL (6.43 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% corn oil
 Solubility: ≥ 2.5 mg/mL (6.43 mM); Clear solution

BIOLOGICAL ACTIVITY

Description	CPDA is a novel potent SH2 domain-containing inositol phosphatase 2 (SHIP2) inhibitor.
IC ₅₀ & Target	SHIP2
In Vitro	CPDA enhances insulin signaling. MCE has not independently confirmed the accuracy of these methods. They are for reference only.
In Vivo	CPDA greatly improves abnormal glucose metabolism in diabetic animals. CPDA improves the abnormal glucose metabolism in db/db mice.

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Rational design and synthesis of 4-substituted 2-pyridin-2-ylamides with inhibitory effects on SH2 domain-containing inositol 5'-phosphatase 2 (SHIP2). Eur J Med Chem. 2013 Apr;62:649-660.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA