



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

5-Hydroxypyrazine-2-Carboxylic Acid

Cat. No.:	HY-76210
CAS No.:	34604-60-9
Molecular Formula:	C ₅ H ₄ N ₂ O ₃
Molecular Weight:	140.1
Target:	Bacterial; Antibiotic
Pathway:	Anti-infection
Storage:	Powder -20°C 3 years 4°C 2 years In solvent -80°C 2 years -20°C 1 year



SOLVENT & SOLUBILITY

In Vitro

DMSO : 50 mg/mL (356.89 mM; Need ultrasonic)
H₂O : 4 mg/mL (28.55 mM; Need ultrasonic)

	Solvent Concentration	Mass	1 mg	5 mg	10 mg
Preparing Stock Solutions	1 mM		7.1378 mL	35.6888 mL	71.3776 mL
	5 mM		1.4276 mL	7.1378 mL	14.2755 mL
	10 mM		0.7138 mL	3.5689 mL	7.1378 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline
Solubility: ≥ 2.5 mg/mL (17.84 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline)
Solubility: ≥ 2.5 mg/mL (17.84 mM); Clear solution
- Add each solvent one by one: 10% DMSO >> 90% corn oil
Solubility: ≥ 2.5 mg/mL (17.84 mM); Clear solution

BIOLOGICAL ACTIVITY

Description

5-Hydroxypyrazine-2-Carboxylic Acid, a metabolite of anti-tuberculosis drug pyrazinamide (PZA).

CUSTOMER VALIDATION

-
- PLoS One. 2020 Nov 5;15(11):e0241600.

See more customer validations on www.MedChemExpress.com

REFERENCES

- [1]. Huq, Fazlul; Hossain, Zahed. Molecular modelling analysis of the metabolism of pyrazinamide. Journal of Pharmacology and Toxicology (2006), 1(6), 505-515.
- [2]. Mehmedagic, Aida; Verite, Philippe; Menager, Sabine et al. Investigation of the effects of concomitant caffeine administration on the metabolic disposition of pyrazinamide in rats. Biopharmaceutics & Drug Disposition (2002), 23(5), 191-195.
-

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA