



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Liothyronine-d₃

Cat. No.:	HY-A0070AS3
Molecular Formula:	C ₁₅ H ₉ D ₃ I ₃ NO ₄
Molecular Weight:	653.99
Target:	Endogenous Metabolite; Thyroid Hormone Receptor; Isotope-Labeled Compounds
Pathway:	Metabolic Enzyme/Protease; Vitamin D Related/Nuclear Receptor; Others
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



BIOLOGICAL ACTIVITY

Description	Liothyronine-d ₃ is deuterated labeled Liothyronine (HY-A0070A). Liothyronine is an active form of thyroid hormone. Liothyronine is a potent thyroid hormone receptors TR α and TR β agonist with K _s of 2.33 nM for hTR α and hTR β , respectively [1][2][3].
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] . hepatocarcinomaLiothyronine (T ₃ , 100 nM) stimulates the proliferation of hepatocarcinoma cells in which TR β 1 is overexpressed ^[2] . Liothyronine binds to the human β 1 thyroid hormone receptor (hTR β 1), and changes its conformation. Liothyronine promotes growth, induces differentiation and regulates metabolic effects ^[3] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

- [1]. Hiroaki Shiohara, et al. Discovery of novel indane derivatives as liver-selective thyroid hormone receptor β (TR β) agonists for the treatment of dyslipidemia. *Bioorg Med Chem*. 2012 Jun 1;20(11):3622-34.
- [2]. Lin KH, et al. Stimulation of proliferation by 3,3',5-triiodo-L-thyronine in poorly differentiated human hepatocarcinoma cells overexpressing beta 1 thyroid hormone receptor. *Cancer Lett*. 1994 Oct 14;85(2):189-94.
- [3]. Bhat MK, et al. Conformational changes of human beta 1 thyroid hormone receptor induced by binding of 3,3',5-triiodo-L-thyronine. *Biochem Biophys Res Commun*. 1993 Aug 31;195(1):385-92.
- [4]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. *Ann Pharmacother*. 2019 Feb;53(2):211-216.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA