



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Formosanin C

Cat. No.: HY-N2389
CAS No.: 50773-42-7
Molecular Formula: C₅₁H₈₂O₂₀
Molecular Weight: 1015.18
Target: Apoptosis
Pathway: Apoptosis
Storage: -20°C, protect from light
 * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)



SOLVENT & SOLUBILITY

In Vitro	DMSO : 100 mg/mL (98.50 mM; Need ultrasonic)					
	Preparing Stock Solutions	Solvent Concentration	Mass	1 mg	5 mg	10 mg
		1 mM		0.9850 mL	4.9252 mL	9.8505 mL
		5 mM		0.1970 mL	0.9850 mL	1.9701 mL
		10 mM		0.0985 mL	0.4925 mL	0.9850 mL
		Please refer to the solubility information to select the appropriate solvent.				
In Vivo	1. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.5 mg/mL (2.46 mM); Clear solution					
	2. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (2.46 mM); Clear solution					

BIOLOGICAL ACTIVITY

Description	Formosanin C is a diosgenin saponin isolated from Paris polyphylla and an immunomodulator with antitumor activity. Formosanin C induces apoptosis ^{[1][2]} .
-------------	---

CUSTOMER VALIDATION

- Korean J Physiol Pharmacol. 2021 Sep 1;25(5):395-401.

See more customer validations on www.MedChemExpress.com

REFERENCES

- [1]. Wu RT, et al. Formosanin-C, an immunomodulator with antitumor activity. Int J Immunopharmacol. 1990;12(7):777-86.
- [2]. Li Y, et al. The antitumor effect of formosanin C on HepG2 cell as revealed by 1H-NMR based metabolic profiling. Chem Biol Interact. 2014 Sep 5;220:193-9.
-

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA